

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-06-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-06-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Irel (india) Limited
Office Name/कार्यालय का नाम	Ho
क्रेता ईमेल/Buyer Email	rohan.dalvi@irel.co.in
Total Quantity/कुल मात्रा	1618
Item Category/मद केटेगरी	Complete HOTBOX , Heat Exchanger , Hearth Support Assy , Fixture , VFD Drive , 1041 Seal Kit , Duplex Thermocouple Type S , Penning Gauge , Pirani Gauge Senser , Single Loop Controller , Safety Controller , Heater Strip , Heater Holder Bracket , Heater Holder Tube , Heater Holder Moly Pin , Terminal Holding Bracket Outer , Terminal Holding Bracket Inner , Terminal Holding Washer , Heater Connector Packing , Heater Connector , Heater Connector Holder Moly Pin , Ground Terminal Connector , Moly Terminal , Moly Ground Terminal , Terminal Tube Stopper , Terminal Tube Protector Washer , Moly Washer 80x50x0.5 , Moly Washer 50x16x0.5 , Moly Washer 30x11x0.5 , Moly Washer 50x22x0.5 , Heater Holder Bracket Moly Pin 5x50 , Moly Stud M6x20 , Moly Stud M6x32 , Moly Stud M6x25 , Moly Stud M6x40 , Moly Hex Nut M6x1p , Moly LA Wire 2mm dia x 4 Mtr , Ceramic Tube AL 99 5-12x16x8 , Ceramic Tube CRT 501 , Ceramic Tube AL 99 5-11x15x8 , Ceramic T Bush AL 99 5-11X15-25X25 , Ceramic Tube CRT 509 , Ceramic TT Bush AL 99 5-11X15-25X45 , Ceramic Tube CRT 508 , Copper Connector for Ground , Rubber bellow for MP , Rubber bellow for RP , Metal bellow for DP , Solenoid valve , Read switch for safety piston , RTD for DP pump , GIV Valve , Safety valve Assy , Air Inlet valve , Roughing valve , Backing Valve , Butterfly Valve , Regulator , Water Flow switches , Cylinder Assy for front door , Fuse for Thyristor full one set , LCD TFT with Back Light , DI 16x24VDC ST , DQ 16x24VDC , AI 4xU I 2 wire ST , AI 4xRTD TC 2 3 4 wire HF , AQ 2xU ST , CPU 1510SP 1 PN , Memeory card

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Complete HOTBOX, Heat Exchanger, Hearth Support Assy, Fixture, VFD drive, 1041-seal kit, Duplex Thermocouple Type S, PENNING GAUGE, PIRANI GAUGE SENSER, Single loop PID Controller with 1 Universal Input(PV), 1 Analogue Output, 2, Safety Controller, Heater Strip, Heater Holder Bracket, Heater Holder Tube 25 dia x 0.5 thk, Heater Holder Moly Pin 5x95, Terminal Holding Bracket Outer, Terminal Holding Bracket Inner, Terminal Holding Washer, Heater Connector Packing, Heater Connector, Heater Connector Holder Moly Pin 10x12, Ground Terminal Connector, Moly Terminal 30 x 4 thk, Moly Ground Terminal, Terminal Tube Stopper, Terminal Tube Protector Washer, Moly Washer 80x50x0.5, Moly Washer 50x16x0.5, Moly Washer 30x11x0.5, Moly Washer 50x22x0.5, Heater Holder Bracket Moly Pin 5x50, Moly Stud M6x20, Moly Stud M6x32, Moly Stud M6x25, Moly Stud M6x40, Moly Hex. Nut M6x1p, Moly LA Wire 2mm dia x 4Mtr, CERAMIC TUBE -AL99.5-12x16x8, Ceramic Tube_CRT-501- AL99.5-38x48x100, CERAMIC TUBE -AL99.5-11x15x8, CERAMIC T- BUSH - AL99.5-11X15-25X25, Ceramic Tube_CRT-509- AL99.5-11x15x41, CERAMIC T- BUSH - AL99.5-11X15-25X45, Ceramic Tube_CRT-508- AL99.5-20x30x60, Copper Connector for Ground, Rubber bellow for MP, Rubber bellow for RP (4"), Metal bellow for DP, Solenoid valve for Bray butterfly valve (common for all sizes), Read switch for safety piston, RTD For DP pump, GIV Valve, Safety valve Assy., Air Inlet Valve, 4" Roughing Valve, Backing Valve 4", 2" Butterfly Valve, Regulator, Water flow switches, Cylinder Assy for front door, Fuse for Thyristor full one set, 17 LCD TFT With Back Light, DI 16x24VDC ST, DQ 16x24VDC/0.5A ST, AI 4xU/I 2-wire ST, AI 4xRTD/TC 2,3,4-wire HF, AQ 2xU ST, CPU 1510SP-1 PN, Memory card, 12 MB
	Searched String: Complete HOTBOX Tent Latrine Complete- Defence, PABX System - EPABX (V2), Chemical Earth Pit Complete Set, Complete Central Line Training Solution, Tracksuit, Bayley-III Screening Test Complete Kit, Kerosene oil fired bukhari complete with exhaust pipes (MHA), Lathe Machine as per IS 6893:1988, Tent Glacier 10 -12 Men Complete (Textile Decking) (Defence), Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2) Searched String: Heat Exchanger Shell & Tube Heat Exchanger, Laboratory Incubators, Furnace and Heat Exchanger Tubes, Welded Plate and Frame Heat Exchanger (MRPL), Solar Water Heating System as per IS 12976:1990, bacterial or viral filters without heat and moisture exchanger hme, Heat Seal Sterilization Roll With Chemical Indicator, Boiler, Superheater and Heat Exchanger Tubes (As Per ASTM A 213), Hamam Water Heating Device (Defense), Bacterial / Viral Filters (V2) Searched String: Hearth Support Assy RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Spinal Support, Wilfit Spares, Bulk Packing of TSM Assy (BSF), Parallel Bar - Outdoor Gym Equipment, REMOTE ACCESS & SUPPORT SOFTWARE, Cast Epoxy Resin Support Insulator (BHEL), Ladders as per IS 3696, Advanced Cardiovascular Life Support (ACLS)

Bid Details/As per	Simulators, Bathroom or Toilet Mirror (V2)
	Searched String: Fixture LED Well Glass Fixture, Clean Room Light Fixture as per IS 3646, Administrative Automation Software for Educational Institutions, Flameproof Hazardous Lighting Fixtures, Control Gear Box as per IS 5, Jig and Fixtures(BHEL) Searched String: VFD drive Pen Drive, Mobile Storage Compactors, Tape Drive, Infusion Pump Volumetric / Syringe Based, Belt Drive Water Pump, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Final Drive Axle Oil, Variable Voltage Variable Frequency Drive, Banner for Polio Immunization Drive, Portable Surface Roughness Tester Searched String: 1041-seal kit Hydraulic Cylinder Seal Kit, personal safety kit reflective luminous garments, Puf Seal, Wilfit Spares, Oil seal, Plastic Moulded Table - Preschool Kit, Cable Sealing Kit, Cable Joint Kit (V2), Bolt / Bullet Seal, Biochemistry Reagent Kits Searched String: Duplex Thermocouple Type S Thermocouple Standards Platinum / Platinum Rhodium, S type load Cell, Cast Copper Alloy Traps, Muffle Furnace, Antenna Cable, Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Net Camouflage Shrimp Type (Defence), Steel Clothes Lockers (V3) confirming to IS 3314, Steel Shelving Cabinets (Adjustable Type) confirming to IS 3312 (V3), Plastic Chain Searched String: PENNING GAUGE Plug Gauge, Slip Gauges / Gauge Blocks, Dial type indicating Pressure Gauges, Vertical Staff Gauges - IS 4080, Pen Drive, Gauge Valve - BHEL, Galvanized Iron Core Box (V2), Standard Wire Gauge, Blood Lancets, Ultrasonic Thickness Gauge Searched String: PIRANI GAUGE SENSER Plug Gauge, Slip Gauges / Gauge Blocks, Dial type indicating Pressure Gauges, Vertical Staff Gauges - IS 4080, Blood Lancets, Gauge Valve - BHEL, Galvanized Iron Core Box (V2), Standard Wire Gauge, Precision Height Gauge, Ultrasonic Thickness Gauge Searched String: Single loop PID Controller with 1 Universal Input(PV), 1 Analogue Output, 2 Geological compass Searched String: Safety Controller Wireless Controller, PID Controller, Medical Safety Goggles, Temperature Controller, Power Generator - DG Set (up to 900 KVA), Deep sea controller, Safety Equipment Tool Kit for Labours, Motorized Pipette Controller, magnetic stirrers, Temperature humidity controller Searched String: Heater Strip Strip Heater, Spherical Roller Bearing as per IS 6455, Cartridge Heater, Bobbin Heater, Convection Heaters -

Bid Details/As per	Room Heater, Blower, Induction Heater, Broom (V2), Heater Elements, Tapered Bearings as per IS 12102, Space Heater
	Searched String: Heater Holder Bracket Bracket (Defence), Convection Heaters - Room Heater, Blower, Corner Bracket(BHEL), Dumbbell Rack, Sling Bracket (BHEL), Cartridge Heater, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Bobbin Heater, Badge Holders - I Card, Induction Heater Searched String: Heater Holder Tube 25 dia x 0.5 thk Multimedia Projector (MMP), Sterile Hypodermic Needles for Single use (V2), Minifuge Searched String: Heater Holder Moly Pin 5x95 Electrical Box Extension (V2), synthetic web equipment improved version, Pin Up Notice Board (V2), Pins or Tacks as per IS 5653, modular electrical switches and accessories, Lat Pull Down (Version 2), Electrical Plug, Monitor power cables, Sign holders or stands, Pins, Paper, Straight as per IS 5653 Searched String: Terminal Holding Bracket Outer Category not available on GeM for the text string uploaded by the buyer Searched String: Terminal Holding Bracket Inner Wilfit Spares Searched String: Terminal Holding Washer Holding Magnet, Squeegee Washer Wiper Mopper (V2), Lock Washer, Nylon washer, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Sponge Holding Forcep, Bone Holding Forceps - Farabeuf's Pattern, High Pressure Washer, Square Washer(BHEL), Bone Holding Forceps - Semb's Pattern Searched String: Heater Connector Packing Hose connector, Nitrile Coated/Nitrile Hand Gloves (V2), Profibus Connector, Convection Heaters - Room Heater, Blower, RCA connector, SMA connector, Connector Mounting Hardware - Multi Plug, Connector Glass, Spare / Add On Battery Packs For Transreceiver - Handheld, Cartridge Heater Searched String: Heater Connector Hose connector, Convection Heaters - Room Heater, Blower, Profibus Connector, Connector Mounting Hardware - Multi Plug, RCA connector, SMA connector, Electric Water Heater - Geyser (V2) as per IS 2082:2018 (Latest), Connector Glass, Solar Water Heating System as per IS 12976:1990, Cartridge Heater Searched String: Heater Connector Holder Moly Pin 10x12 Rotary Encoder Searched String: Ground Terminal Connector Terminal Strip Connectors, Connector Mounting Hardware -

Bid Details/As per	Multi Plug, Hose connector, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576, Profibus Connector, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), RCA connector, SMA connector, Connector Glass, Spices And Condiments - Coriander, Whole And Ground as per IS 2443
	Searched String: Moly Terminal 30 x 4 thk Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg Searched String: Moly Ground Terminal Ground Enhancement Material, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Battery Link Terminal, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576, Battery Terminal Coating, Terminal Strip Connectors, TERMINAL BLOCKS(BHEL), Spices And Condiments - Coriander, Whole And Ground as per IS 2443, Terminal BOX (BHEL), Electrical Terminals as per IS 8309 Searched String: Terminal Tube Stopper Lock Stopper key, Blood Sample Collection Tubes, Iodine Flask with Stopper, Laboratory Vials (V2), Fat Extraction Apparatus for Milk and Milk Products as per IS 2311, Battery Link Terminal, Battery Terminal Coating, centrifuge tubes, Terminal Strip Connectors, M.S Stopper for Traffic Control (Portable Barrier) Searched String: Terminal Tube Protector Washer Category not available on GeM for the text string uploaded by the buyer Searched String: Moly Washer 80x50x0.5 Desktop Computers, High Pressure Washer, Online UPS (V2), File/Folder (V3), Squeegee Washer Wiper Mopper (V2), Server, Laundry Type Washing Machines / Drying Machines, Surgical Gloves as per IS 4148, Elastic Surgical Adhesive Tapes (V2), Cat 6 Patch cord Searched String: Moly Washer 50x16x0.5 Desktop Computers, High Pressure Washer, Online UPS (V2), File/Folder (V3), Squeegee Washer Wiper Mopper (V2), Server, Laundry Type Washing Machines / Drying Machines, Surgical Gloves as per IS 4148, Workstation, Elastic Surgical Adhesive Tapes (V2) Searched String: Moly Washer 30x11x0.5 Desktop Computers, High Pressure Washer, All in One PC, Online UPS (V2), File/Folder (V3), Squeegee Washer Wiper Mopper (V2), Server, Surgical Gloves as per IS 4148, Laptop - Notebook, Elastic Surgical Adhesive Tapes (V2) Searched String: Moly Washer 50x22x0.5 Desktop Computers, High Pressure Washer, Online UPS (V2), File/Folder (V3), Squeegee Washer Wiper Mopper (V2), Server, Laundry Type Washing Machines / Drying Machines, Surgical Gloves as per IS 4148, Elastic Surgical Adhesive Tapes (V2), Cat 6 Patch cord

Bid Details/बिड विवरण	Searched String: Heater Holder Bracket Moly Pin 5x50
	Category not available on GeM for the text string uploaded by the buyer Searched String: Moly Stud M6x20 Stud Assembly (OFB), Road Stud (V2), Stud with Nuts, Insulated Stud (BHEL), Cleaning Duster (V3), Cleaning Duster (V2), Diode Stud Type(RINL), Bucket Mop Wringer Trolley, Stud/ Brooch Lapel Pin-Handicraft, Customised Envelopes Searched String: Moly Stud M6x32 Stud Assembly (OFB), Road Stud (V2), Electrical Terminals as per IS 8309, Insulated Stud (BHEL), Cleaning Duster (V3), Stud with Nuts, Diode Stud Type(RINL), Cleaning Duster (V2), Stud/ Brooch Lapel Pin-Handicraft, Studs-IS:1862 Searched String: Moly Stud M6x25 Stud Assembly (OFB), Road Stud (V2), Electrical Terminals as per IS 8309, Insulated Stud (BHEL), Cleaning Duster (V3), Stud with Nuts, Diode Stud Type(RINL), Cleaning Duster (V2), Stud/ Brooch Lapel Pin-Handicraft, Studs-IS:1862 Searched String: Moly Stud M6x40 Stud Assembly (OFB), Road Stud (V2), Stud with Nuts, Insulated Stud (BHEL), Cleaning Duster (V3), Electrical Terminals as per IS 8309, Diode Stud Type(RINL), Cleaning Duster (V2), Stud/ Brooch Lapel Pin-Handicraft, Studs-IS:1862 Searched String: Moly Hex. Nut M6x1p Nut Hex for Turbine (NTPC), Stud with Nuts, Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), Electrical Terminals as per IS 8309, Hexagonal Head Bolts, Screws and Nuts of Product Grades A and B as per IS 1364, Studs-IS:1862, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Hex Reducing Nipple, Prevailing Torque Hexagonal Nut-IS:1367, Electrical connection Lugs or thimbles Searched String: Moly LA Wire 2mm dia x 4Mtr Laminar air flow cabinets or stations, High Pressure Fire Fighting Hose - IS 14933, Server, Ferro Silica Calcium Cored Wire as per IS 2022, Parallel Bar - Outdoor Gym Equipment, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Picket Steel as per DGS&D Drawing, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), The Indian National Flag as per IS 1 Searched String: CERAMIC TUBE -AL99.5-12x16x8 Desktop Computers, Ceramic Fiber Rope, All in One PC, Coil Tubular heater, File/Folder (V3), endotracheal tubes or reinforced endotracheal tube plain, Surgical Gloves as per IS 4148, Sofa Set (Steel Tube), Server, Blood Sample Collection Tubes

Report generated in accordance with the Bid Details/As per	Searched String: Ceramic Tube_CRT-501- AL99.5-38x48x100
	Minifuge, endotracheal tubes or reinforced endotracheal tube plain, endotracheal tubes Searched String: CERAMIC TUBE -AL99.5-11x15x8 Desktop Computers, Ceramic Fiber Rope, All in One PC, Coil Tubular heater, File/Folder (V3), endotracheal tubes or reinforced endotracheal tube plain, Surgical Gloves as per IS 4148, Blood Sample Collection Tubes, Sofa Set (Steel Tube), Server Searched String: CERAMIC T- BUSH - AL99.5-11X15-25X25 File/Folder (V3), Server, Elastic Surgical Adhesive Tapes (V2), The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Workstation, Permeable Nonwoven Surgical Adhesive Tape, rubber bands, Cotton Bandage Cloth (V2), Multimedia Projector (MMP), Shaker Incubator Searched String: Ceramic Tube_CRT-509- AL99.5-11x15x41 Minifuge, endotracheal tubes or reinforced endotracheal tube plain, Cups and Mugs - Handicraft Searched String: CERAMIC T- BUSH - AL99.5-11X15-25X45 File/Folder (V3), Cups and Mugs - Handicraft, Server, Pressure Sensor, Elastic Surgical Adhesive Tapes (V2), The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Locking Compression Plates (V2), Workstation, Permeable Nonwoven Surgical Adhesive Tape, rubber bands Searched String: Ceramic Tube_CRT-508- AL99.5-20x30x60 Minifuge, Compostable Carry Bags, endotracheal tubes or reinforced endotracheal tube plain Searched String: Copper Connector for Ground Male connector for arc welding machine(BHEL), Field Mountable (FM45) Connector for Telecommunication, Overall Ground Crew (V2) (IAF), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Copper Wire Rods for Electrical Applications Conforming to IS 12444, Equipment for Iron / Arsenic / Fluoride Removal from Ground Water, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Antibacterial Copper Patch Cord for Telecommunication, B.T will Gunny Bags (Jute Bags) for Packing Ground Nuts (GSCSC), Under Ground / Above Ground Horizontal Cylindrical Steel Storage Tanks for Petroleum Products as per IS 10987:1992 (Latest) Searched String: Rubber bellow for MP Neoprene Rubber Bellow (BHEL), Safety Footwear as per IS 15298, Rubber Blanket, Rubber Sucker for Printing, Vinyl / Rubber Gloves for Hospitals Cleaning, Skirt Rubber for CHP, Ordinary Portland Cement (43 Grade or 43-S grade) for bulk buying as per IS: 269, Rubber bush for Industrial purpose, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per

Bid Details/Is Item	IS 13098, EPDM Rubber Beading For Mudguard
	Searched String: Rubber bellow for RP (4") Neoprene Rubber Bellow (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rubber Blanket, Rubber Sucker for Printing, Safety Footwear as per IS 15298, Skirt Rubber for CHP, Rubber bush for Industrial purpose, File/Folder (V3), EPDM Rubber Beading For Mudguard, Rubber pads for Industrial purpose Searched String: Metal bellow for DP Non Metallic Bellow, Door Frame Metal Detector, Foreign body (metal) detector for veterinary use, OTO - Acoustic Emissions (OAE) Instrument for New Born Infant and Children - RBSK, Non Metal Helmet For Police Force-IS:9562, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, Non Metal Helmet for Fireman and Civil Defence Personnel as per IS 2745, OTO - Acoustic Emissions (OAE) Instrument for New Born Infant and Children (V2) - RBSK, DRY POWDER FIRE EXTINGUISHER FOR METAL FIRES as per IS 11833, Expanded Metal Steel Sheets for General Purposes as per IS 412 Searched String: Solenoid valve for Bray butterfly valve (common for all sizes) Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Modular Toilet, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Portable Toilet, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) Searched String: Read switch for safety piston Safety Footwear For Railway Workshop, personal safety kit reflective luminous garments, Safety Footwear For Railway Trackmen, Fume Hood (FSSAI), Network Switch - L 3 for Cloud, Safety Footwear as per IS 15298, Layer - 2 Access Switch for Railways, Switch Fuse Unit, Safety Fuse for Commercial use as per IS 7738, modular electrical enclosure switch board boxes for modular type accessories Searched String: RTD For DP pump Sleeves for DVT Pump, Submersible Pump Starters (Motor starter controls), Centrifugal Pump for Ethanol (IOCL), Temperature Transmitter, Centrifugal Pump for Alkylate (IOCL), High Pressure Portable Pump for large fire fighting as per IS 12717, Centrifugal Pump for Hydrocarbon (IOCL), Trailer Pump for Fire Brigade use as per IS 944, Centrifugal Pump for Rich Amine (IOCL), Portable Pump Set for Fire Fighting as per IS 942 Searched String: GIV Valve Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose

Bid Details/As per IS 781	as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781
	Searched String: Safety valve Assy. Pressure Safety Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Air Safety Valve (BHEL), Wilfit Spares, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Safety Relief Valves- Spring Loaded, Particulate Respiratory Mask - FFP as per IS 9473:2002, Bulk Packing of TSM Assy (BSF), personal safety kit reflective luminous garments Searched String: Air Inlet Valve Air Safety Valve (BHEL), Hot air oven, Needle Valve, RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES, Sequence valve, Laminar air flow cabinets or stations, General Purpose Ball Valves (V2), Syringe Filter, Air Nozzle, Air Freshener Liquid Searched String: 4" Roughing Valve 4-Aminoantipyrine, Needle Valve, Solid carbide end mill, Sequence valve, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Stromatolyser - 4 DL, Modular Toilet, General Purpose Ball Valves (V2), Laminar air flow cabinets or stations, Angle Seat Valve Searched String: Backing Valve 4" Backing Ring, 4-Aminoantipyrine, Needle Valve, Revolving Chair (V4), Sequence valve, Modular Toilet, Stromatolyser - 4 DL, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), General Purpose Ball Valves (V2), Butterfly Valve (as per API Std. 609) Searched String: 2" Butterfly Valve Butterfly Valve (as per API Std. 609), Laminar air flow cabinets or stations, Butterfly Valves (V2) as per IS 13095, Portable Toilet, 2-2-BIPYRIDYL, Waste Containers and Accessories - Domestic (V2), Needle Valve, Modular Toilet, Sequence valve, Bucket Mop Wringer Trolley Searched String: Regulator Acetylene Pressure Regulator as per IS 6901, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Filter Regulator Lubricator, Natural Gas Pressure Regulator, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Pressure Regulator For Gases, Filter cum Pressure Regulator, Voltage regulator for domestic fans, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Oxygen Gas Regulators (Version 2) Searched String: Water flow switches Toggle Switches, water baths, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Water - Drinking and Sanitation (V2), Flow Cytometer, Laminar air flow cabinets or stations, modular electrical switches and accessories, Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Mass Flow Controllers, RO Water Treatment System Above 50 LPH

Bid Details/As per	Filtration Capacity
	Searched String: Cylinder Assy for front door Cylinder Stand, Door Frame Metal Detector, Liquified Petroleum Gas (Lpg) Cylinder For Bhel-IS 6044, Wilfit Spares, EPDM Rubber Beading For Passenger Door, Wooden Shoe Rack, Sealing Bulb Beading Rubber for Door, HYDRAULICALLY REGULATED DOOR CLOSERS, Breathing Air Cylinder Fill Containment Cabinet, Surgical isolation Faceshield Searched String: Fuse for Thyristor full one set Refrigerated Centrifuge (FSSAI), Regulators for Breathing Apparatus (Diving Instruments or Accessories), D and C Set Searched String: 17 LCD TFT With Back Light Buy Back - Lead Acid Batteries for Motor Vehicles with Light Weight and High Cranking Performance (V2), Digital Light Meter, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Regulators for Breathing Apparatus (Diving Instruments or Accessories) Searched String: DI 16x24VDC ST Liquid Carbon Di oxide, Methyl Di-Ethanol Amine - ONGC, Dicalcium Phosphate, Desktop Computers, Di Sodium Hydrogen Phosphate-IS:567, Di - Sodium Octa Borate Tetrahydrate (Boron), Cleaning Duster (V3), Ductile Iron Pipe - DI as per IS 8329, Methyl Di Ethanol Amine (MDEA) in tanker, Cleaning Duster (V2) Searched String: DQ 16x24VDC/0.5A ST Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, Desktop Computers, Jumbo Process Indicator, Online UPS (V2), laboratory hotplates, File/Folder (V3), Wall Mount Thermometer, Server, Surgical Gloves as per IS 4148, Pins or Tacks as per IS 5653 Searched String: AI 4xU/I 2-wire ST Laminar air flow cabinets or stations, Package No. 5 Atal Tinkering Lab of Niti Aayog - Advance Prototyping Kit and Software - Robotics and AI, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), water baths, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Polypropylene Ropes as per IS 5175, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Modular Work Stations (V2) Searched String: AI 4xRTD/TC 2,3,4-wire HF Desk and Bench Set for Classroom/Training Area, water baths, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), shoes school pvc boys girls, Modular Work Stations (V2), MIL-STD Digital Grounding System, Power Factor Meter - Digital, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Hand Operated Hydraulic Pipe

Bid Details/बिड विवरण	Bender
	Searched String: AQ 2xU ST Dress for Aquatic Disaster Response During Rain - Water Proof Jacket for NDRF, Laminar air flow cabinets or stations, Dress for Aquatic Disaster Response During Rain - Water Proof Trouser for NDRF, Fully Automatic Biochemistry Analyzer (V2), Alcohol Resistant Aqueous Film Forming Foam (AR - AFFF, Type 3 / 3) Liquid Concentrate for Fire Fighting (V2) (PNG), Waste Containers and Accessories - Domestic (V2), Alcohol Resistant Aqueous Film Forming Foam (AR - AFFF, Type 3 / 3) Liquid Concentrate for Fire Fighting (PNG), Fully Automatic Bio Chemistry Analyzer, Aqueous Film Forming Foam (AFFF, Type 3) Liquid Concentrate for Fire Fighting (PNG), Bucket Mop Wringer Trolley Searched String: CPU 1510SP-1 PN CPU Trolley / CPU Stand, Entry and Mid Level Desktop Computer, Interactive Panels without CPU, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Interactive Panels with CPU, High End Desktop Computer, 1, 1, 3 - Triethoxybutane, BCAA 2:1:1 Powder, Black Pepper, BCAA 8:1:1 Powder Searched String: Memory card, 12 MB Memory Card, Random Access Memory (RAM) Card (V2), Memory Card Reader, Digital Media Evaluation Educational Kit, read only compact disc cd, Hardware Security Module (HSM), Hotter with Monitor for analysis
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	
BOQ Title/बीओक्यू शीर्षक	Spares for ALD High Vacuum Furnace
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	OEM Authorization Certificate, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Complete HOTBOX
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

Bid Details/बिड विवरण	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	30680000
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	HDFC Bank
EMD Amount/ईएमडी राशि	520000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	HDFC Bank
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	15

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

DM
HO, Department of Atomic Energy, IREL (India) Limited, PMO
(Irel India Limited)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

--	--

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Complete HOTBOX

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Heat Exchanger

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Hearth Support Assy

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Fixture

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

VFD Drive

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

1041 Seal Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Duplex Thermocouple Type S

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Penning Gauge

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	2	365

Pirani Gauge Sensor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

Single Loop Controller

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Safety Controller

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

Heater Strip

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	15	365

Heater Holder Bracket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	36	365

Heater Holder Tube

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	36	365

Heater Holder Moly Pin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	36	365

Terminal Holding Bracket Outer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

Terminal Holding Bracket Inner

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

Terminal Holding Washer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	18	365

Heater Connector Packing

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	9	365

Heater Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	9	365

Heater Connector Holder Moly Pin

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	9	365

Ground Terminal Connector

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Moly Terminal

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Moly Ground Terminal

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Terminal Tube Stopper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Terminal Tube Protector Washer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

Moly Washer 80x50x0.5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	48	365

Moly Washer 50x16x0.5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	48	365

Moly Washer 30x11x0.5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

Moly Washer 50x22x0.5

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	150	365

Heater Holder Bracket Moly Pin 5x50

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	72	365

Moly Stud M6x20

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Moly Stud M6x32

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Moly Stud M6x25

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Moly Stud M6x40

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Moly Hex Nut M6x1p

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	150	365

Moly LA Wire 2mm Dia X 4 Mtr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

Ceramic Tube AL 99 5-12x16x8

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	350	365

Ceramic Tube CRT 501

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Ceramic Tube AL 99 5-11x15x8

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	200	365

Ceramic T Bush AL 99 5-11X15-25X25

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Ceramic Tube CRT 509

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Ceramic TT Bush AL 99 5-11X15-25X45

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Ceramic Tube CRT 508

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	30	365

Copper Connector For Ground

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Rubber Bellow For MP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Rubber Bellow For RP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Metal Bellow For DP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Solenoid Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

Read Switch For Safety Piston

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

RTD For DP Pump

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

GIV Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Safety Valve Assy

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Air Inlet Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Roughing Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Backing Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Butterfly Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

Regulator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

Water Flow Switches

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

Cylinder Assy For Front Door

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

Fuse For Thyristor Full One Set

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	9	365

LCD TFT With Back Light

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

DI 16x24VDC ST

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	15	365

DQ 16x24VDC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	5	365

AI 4xU I 2 Wire ST

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

AI 4xRTD TC 2 3 4 Wire HF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	6	365

AQ 2xU ST

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	3	365

CPU 1510SP 1 PN

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	1	365

Memeory Card

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Eswar Rao Adothu	531011,IREL(India)Limited Anuvihar, BARC Colony, Mekarasi hill, Achuthapuram	2	365

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Pre-qualification Criteria

Make: M/s ALD Vacuum Technologies (India) Pvt. Ltd.

The BID is generated on **Proprietary basis**.

Only OEM (equipment manufacturers i.e., M/s ALD Vacuum Technologies (India) Pvt. Ltd.) or its authorized dealers to participate in this bid.

In case of dealer valid authorization certificate form OEM shall be submitted.

Required document: OEM authorization certificates

2. Contract Period

The successful bidder to supply all materials within 12 months from the date of placement of the order. Supply is to be made on a staggered delivery basis as per the agreed time schedule as per communication from IREL.

3. Terms of payment

Pro-rata payment, based on the quantity and items supplied, shall be made within 30 days from the date of supply at REPM, Vizag, Andhra Pradesh site and after duly certification of bill by EIC.

4. Delivery Address:

IREL (India) Limited, REPM Plant, BARC Facilities, At/Po: Maduthuru, Achutapuram, Dist: Anakapalli, Andhra Pradesh, Pin Code: 531011, GSTIN: 37AAACI2799F1ZD

5. For any technical queries

Engineer In Charge (EIC): Mr. Eswar Rao, Manager (Electrical), Email: eswar.rao@irel.co.in, Ph No. 955082405

6. Earnest Money Deposit

Tenders shall remit EMD (Rs. 5,20,000/-) through NEFT/RTGS in favour of M/s IREL (India) Limited as mentioned in the schedule of tender or alternatively, EMD can be remitted by way of 'demand draft' or 'BG' in favour of IREL. BG should be from Indian scheduled Banks excluding co-operative banks. Details of payment shall be uploaded in the portal as a separate PDF document. In case of payment through DD/BG, the original should be submitted offline within 7 days of opening of bid date. However, if the details of the payment of EMD through DD/BG are not uploaded in the bid, the bid will be summarily rejected.

EMD if any is liable to be forfeited if:

- i. The tenderer changes the terms and conditions or prices or withdraw his quotation subsequent to the date of opening.
- ii. The tenderer fails to accept the order when placed or fails to commence supplies/works/services after accepting the order.
- iii. In case bidder submits false/fabricated documents.

8. **SECURITY DEPOSIT/Performance Bank Guarantee**

The successful tenderer (referred as successful bidder) is required to furnish Demand draft/ Bankers Cheque or Bank Guarantee (Format of BG is attached), in favour of IREL (India) Limited, Mumbai for an amount equivalent to five (5) per cent of the contract value towards Security Deposit/Performance security) towards the satisfactory performance of the contract, within 2 weeks of the placement of order. The same is to be forwarded to DGM -T (I/c Purchase), Plot No. 1207, V.S. Marg, Prabhadevi, Mumbai - 400028. The SD/PBG should be valid for 15 months from the date of placement of order.

The SD shall not bear any interest and is liable to be forfeited for unsatisfactory completion or on abandonment of the supply/ work order. Additional amount of SD due to enhancement in scope of work is to be submitted by the successful tenderer.

REFUND OF SD/Performance Bank Guarantee

- (i) Before releasing SD/PBG in respect of supplies, a "No Due Certificate" shall be issued by EIC duly countersigned by head of the department after ensuring that no amounts are recoverable from the supplier.
- (ii) EIC/OIC shall recommend release of SD/PBG.
- (iii) On receipt of "no dues certificate" from EIC, SD/PBG shall be refunded at the earliest, if supplier is not liable to pay any money to IREL under any other contract.

FORFEITURE OF SD

The SD shall stand forfeited in favour of IREL, without any further notice to the Supplier in the following circumstances:

- (i) In case of any failure whatsoever on the part of the Supplier at any time during performance of his part of the contract including the extended periods of contract, where notice is given and time for rectification allowed.
- (ii) If the Supplier indulges at any time in any subletting/ sub-contracting of any portion of the supplies without approval of IREL.
- (iii) If the Supplier abandons the supply /order.
- (iv) If the supplier not fulfills the guarantee condition during warranty period

3. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file](#).

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

IREL (India) Limited
payable at
Mumbai

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

IREL (India) Limited

Account No.

Account No. 00122320000135

IFSC Code

HDFC0000012

Bank Name

HDFC Bank Limited

Branch address

HDFC Bank Limited, V S Marg, Opp. Siddhivinayak Temple, Prabhadevi, Mumbai – 400028

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

6. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

IREL (India) Limited
payable at
Mumbai

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---