

Bid Corrigendum

GEM/2024/B/4609637-C3

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions.

Buyer Added Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
2. Buyer Added text based ATC clauses

PRE-QUALIFICATION CRITERIA

Tenderer should submit the following documents towards Pre-Qualification Criteria

- Tenderer shall submit copies of Purchase/Work Orders for "diesel operated ride-on weeper machine with hydraulic dumping system" supplied by them with reputed parties during the last three years
 - a) Three similar orders each costing not less than Rs.12,00,000/-
(or)
 - b) Two similar orders each costing not less than Rs. 15,00,000/-
(or)
 - c) One similar order each costing not less than Rs. 24,00,000/-
- Average annual turnover of the tenderer during the last 3 years, ending 31st March, 2022 should be Rs. 10,00,000/- (Documentary proof of the above should be enclosed). The tenderer shall submit copy of P & L account / IT return / turnover certificate for the last three years.

Note:

1. In the absence of receipt of documents meeting to Pre-qualification criteria, the offer will not be considered under any circumstances.
2. Traders/ distributors/ sole agent/ Works Contract are excluded from the purview of the Procurement Policy for Micro and small Enterprises, 2012 (as amended time to time) has been notified by the Government in exercise of the powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act, 2006.
3. The offers of the bidders who have defaulted in the past in execution of the contracts or in complying with the obligations as per the contract shall not be considered.

4. Concurrent commitment:

The bidder has to submit complete list of concurrent commitments on all jobs under execution by them in the format given below, which will be taken into account to assess the spare capacity available with the bidder.

bidder. If the annualized concurrent commitments of the bidder plus annualized estimated value of the work exceeds four times the average annual financial turnover during the last three financial years of the bidder, then the bid of such a bidder shall not be considered for further evaluation.

Concurrent commitment of the bidder shall be evaluated as on the last day of the Month previous to bid due date, based on the confirmation/declaration of the bidders that they have disclosed all works being executed by them. Bidders shall exclude all stalled project for which there is no progress in last one year (or) any reason for no progress considering above cut-off date. In case any adverse report/complaint are received against bidder and on enquiry found correct, offer shall be rejected and bidder shall be liable for appropriate legal action.

Sl. No.	Organization	Name of Work	Value of Contract	Value executed till last month	Balance value of the executed
1					
2					
Average financial turnover (last 3 financial years)				Total of all balance value	

Other Terms & Conditions

Terms & Conditions

1.0 Bidders have to upload the following along with the Bid

- (i) Documents towards pre qualification of tender failing which offer shall not be accepted.
- (ii) Copy of GST, PAN, MSME Registration.
- (iii) Undertaking provided in tender, duly filled and signed.
- (iv) Contact details with e-mail, Phone no. etc.

The rate quoted shall be FOR IREL (India) Limited, Manavalakurichi. The items have to be supplied strictly as per the technical specification within the delivery period mentioned in the tender.

2.0 Delivery Period

The delivery schedule shall be 30 days from the date of acceptance of the Purchase Order

3.0 Earnest Money Deposit (EMD)

- 3.1 Rs.60,000/- (Rupees Sixty thousand only)
- 3.2 Tenderer shall remit EMD through RTGS/ NEFT in favour of M/s IREL (India) Limited, Manavalakurichi.
- 3.3 Tenderer shall inform details of remittance of EMD & TDC through E-Mail/ FAX. The e-mail should contain full postal address of the Tenderer, Tender No. for which EMD & TDC were paid, payment details including amount, and UTR No. and bank details from which payment was done. IREL's Email id is purchase-mk@irel.co.in
- 3.4 In case tenderer is submitting BG in lieu of EMD the same shall be strictly in the format given in the tender. The Original BG shall reach this office at least 3 days in advance from the date of opening of Techno-Commercial Bid.
- 3.5 Offers without EMD or valid EMD exemption certificate shall not be considered.
- 3.6 The EMD is liable to be forfeited if:
 - i. The tenderer changes the terms and conditions or prices or withdraw his quote

- on subsequent to the date of opening.
 - ii. The tenderer fails to accept the order when placed or fails to commence supply/works after accepting the order.
 - iii. In case bidder submits false/fabricated documents.
 - iv. In case bidder fails to submit SD within 30 days of receipt of work/supply order
- 3.7 PSU, State Govt. Undertakings are exempted from payment of EMD subject to request and approval. MSME /SSI units are exempted from payment of **EMD/ TDC** provided they submit valid MSME/ NSIC certificate along with commercial bid and to ensure that certificate pertains to the class of item/works for which floated.

4.0 Security Deposit (SD) (For supply orders above ₹ 5 Lakhs)

The successful tenderer has to submit Security Deposit **@5% of the contract value** in the form of RTGS/NEFT/ BG within 21 days of receipt of our PO as security for satisfactory completion of the order. The SD shall not bear any interest and is liable to be forfeited for unsatisfactory completion or on abandonment of the supply order. The EMD can be adjusted towards Security Deposit. However, if EMD is submitted in the form of BG, fresh BG is to be submitted towards SD in the prescribed format as per tender. If the Supplier fails to provide the security deposit within the period specified, such failure shall constitute a breach of the Contract and IREL shall be entitled to make other arrangements for the repurchase of the stores contracted for at the risk and expense of the supplier and/or to recover from the supplier the damages arising from such cancellation.

5.0 Installation and Commissioning:

Successful bidder has to do installation, commissioning and demonstration of the equipment at our MK Stores and necessary on site support and training to be given to the operators for the safe operation of machine.

6.0 Warranty:

The materials/equipment and all accessories supplied shall be warranted against any defective material malfunctioning or poor workmanship for a minimum period of 12 months from the date of commissioning or installation or 18 months from the date of acceptance of supply, whichever is earlier.

7.0 Payment terms

90% payment along with 100% taxes and duties shall be made towards supply against tax invoice within 30 days of receipt & acceptance of the equipment at IREL (India) Limited, Manavalakurichi Stores.

Balance 10% shall be paid 12 month after successful operation of the equipment or 18 months from date of supply whichever is earlier.

Alternatively, the balance 10% will be paid on submission of Performance Bank Guarantee (PBG) by the Supplier for 12 months from the date commissioning OR 18 months from the date of supply whichever is earlier. The PBG should have an additional validity period of 3 months.

Security deposit will be released on receipt & acceptance of the equipment at IREL (India) Limited, MK Stores. The party has to quote terms of price FOR MK unit, Manavalakurichi, Kanyakumari District, Tamil Nadu.

8.0 Liquidated Damages

Subject to Article -32, if the SELLER fails to deliver any or all of the GOODS or performance the services within the time period (s) specified in the CONTRACT, the PURCHASER shall, without prejudice to his other remedies under the CONTRACT, deduct from the CONTRACT PRICE, a sum calculated on the basis of the CONTRACT PRICE, including subsequent modifications.

Deductions shall apply as per following formula

A sum equivalent to 0.5 (Half) per cent of the prices of any portion of stores delivered late, for each week or part thereof of delay. The total damages shall not exceed 10 (Ten) per cent of the value of delayed goods. The LD cannot exceed the amount stipulated in the contract.

In case of delay in delivery on the part of SELLER, the invoice/document value shall be reduced proportionately for the delay and payment shall be released accordingly.

In the event the invoice value is not reduced proportionately for the delay, the PURCHASER may deduct the amount so payable by SELLER, from any amount falling due to the SELLER or by recovery against the Performance Guarantee. Both seller and PURCHASER agree that the above percentages of price reduction are genuine pre estimates of the loss/damage which the PURCHASER would have suffered on account of delay/breach on the part of the SELLER and the said amount will be payable on demand without there being any proof of the actual loss/or damage caused by such breach/delay. A decision of the PURCHASER in this matter of applicability of price reduction shall be final and binding.

In case of any discrepancy between GeM GTC and Buyer ATC, terms stipulated under buyer ATC shall prevail.

CORRIGENDUM

In Clause No. 1 of technical specification

Present	To be read as
<p>1. Scope of work: Supply, Commissioning of Diesel Operated Ride-On Sweeper Machine With hydraulic dumping system.</p> <p>Details:</p> <ul style="list-style-type: none"> Requirement of Brooms: One Main broom and one side brooms Sweeping width with main broom: 1200mm (minimum) Sweeping width with side broom: 600mm (minimum) Sweeping width with main and side brooms: 1650 mm (Maximum) Sweeping performance with dual brooms : 17300 m2 per hour (minimum) Brush wear indicator: Near to the operator seat. Brush adjustment: At the Operator's cabin. Brush material Type: Poly-propylene Machine construction: Heavy duty mild steel duly powder coated. Engine capacity: 03 cylinder direct injection type diesel engine with engine control unit 2000 CC (maximum) and 40 HP (Maximum), liquid cooled and highly fuel efficient. Dirt Hopper volume: 640 ltrs (Minimum) Hopper door system: Automatic open system during sweeping mode and automatic close system during transport mode. Suction System: Belt driven suction impeller from 	<p>1. Scope of work: Supply, Commissioning of diesel operated Ride-on sweeper machine with hydraulic dumping system.</p> <p>Details:</p> <ul style="list-style-type: none"> Requirement of Brooms: One Main broom and one side brooms Sweeping width with main broom: 1200mm (minimum) Sweeping width with side broom: 600mm (minimum) Sweeping width with main and side brooms: 1650mm (Maximum) Sweeping performance with dual brooms: 17300 m2 per hour (minimum) Brush wear indicator: Near to the operator seat. Brush adjustment: At the Operator's cabin. Brush material Type - Main brush: Proex & wire Brush material Type - Side brush: Poly-propylene Machine construction: Heavy duty mild steel duly powder coated. Engine capacity: 03 cylinder direct injection type diesel engine with engine control unit 2000 CC (maximum) and 40 HP (Maximum), liquid cooled and highly fuel efficient. Dirt Hopper volume: 640 ltrs. Hopper door system: Automatic open system during sweeping mode and automatic close system during transport mode. Suction System: Belt driven suction impeller from

the engine.

- Filter type: Panel type with automatic electrical filter shaker with Multi-point cleaning concept.
- Filter surface area: 12m² (minimum)
- Dumping system for collected sand/dust: Electrically operated Hydraulic type.
- Lifting height for hydraulic dumping system: 1400 mm (minimum)
- Over all sweeping controls: Hydraulic system including side brush
- Dust suppression system: Water sprays type.
- Tyre: Solid durable type
- Parking and safety brakes: Oil assisted mechanical brake system.
- Shut down of machine: An efficient system required to totally shutdown the machine whenever the operator gets down the machine to ensure safety and fuel efficiency.
- Sensors required: Brooms overload & wear sensors, Hopper level & Hopper rotate, Filter clog, water level sensors.
- Electrical fittings: Head light, horn, reverse alarm.
- Cabin: Fully closed cabin with fan.

m the engine.

- Filter type: Panel type with automatic electrical filter shaker with Multi-point cleaning concept.
- Filter surface area: 12m² (minimum)
- Dumping system for collected sand/dust: Electrically operated Hydraulic type.
- Lifting height for hydraulic dumping system: 1400 mm (minimum)
- Over all sweeping controls: Hydraulic system including side brush.
- **Dust suppression system: Filter - based mechanism**
- Tyre: Solid durable type
- Parking and safety brakes: Oil assisted mechanical brake system.
- Shut down of machine: An efficient system required to totally shutdown the machine whenever the operator gets down the machine to ensure safety and fuel efficiency.
- Electrical fittings: Head light, horn, reverse alarm.
- Cabin: Fully closed cabin with fan.

-
-
-

In Clause No. 2 of technical specification

Present	To be read as
<p>Diesel operated Ride-on sweeper Machine contains following features:</p> <ul style="list-style-type: none"> · Operator seat with back rest and seat belt. · Control panel with display unit for ease of operation. · Variable speed drive motor for speed controlling of sweeper machine. · Automatic filter shaker to provide effective dust control. · High efficient Electromagnetic braking system. · Emergency push button to stop the machine. · Regenerative braking system for safe movement in slopes up to 20 degree grade ability 	<p>Diesel operated Ride-on sweeper Machine contains following features:</p> <ul style="list-style-type: none"> · Operator seat with back rest and seat belt. · Control panel for ease of operation. · Variable speed drive motor for speed controlling of sweeper machine. · Automatic filter shaker to provide effective dust control. · High efficient mechanical braking system · Machine should be equipped with all latest safety standards.

- | | |
|--|--|
| Machine should be equipped with all latest safety standards. | |
|--|--|

3. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)