



# आईआरईएल (इंडिया) लिमिटेड IREL (India) Limited (Formerly Indian Rare Earths Limited)

(भारत सरकार का उपक्रम)

(A Govt. of India Undertaking)
CIN: U15100MH1950GOI008187 Website: www.irel.co.in ISO 9001:2015 & ISO 14001:2015 Company -



#### **SCHEDULE OF TENDER (SOT)**

	SCHEDULE OF T	ENDER (SOT)
а	NIT NO & Date	MK/P 50-17/ET 41 /2022-23 dated 29-08-2022
b	Name of Work	Repair and maintenance of scooter/bike shed infront of Admin.  Office, near front security booth and temporary bike shed at  MK plant land infront of Pachivilagam temple and steel  structural and sheet repair work at side cladding in product godown
С	MODE OF TENDER	Public Tender.
	E-Procurement System. www.mstcecommerce.com/eprochome/irel	E-Procurement System. www.mstcecommerce.com/eprochome/irel
d	E-Tender NO	IREL/Kanyakumari/22-23/ET 41
е	Date of NIT (available to parties to download)	29-08-2022
f	Date of Starting of online Pre-bid meeting	NA
g	Date of Closing of online Pre-bid meeting	NA
h	Estimated Contract Value	₹ 36,34,000/-
<u> </u>	i) Tender Document Charges(TDC)  Note: Company/Unit registered with MSME/NSIC are exempted from payment of TDC provided they submit valid MSME/NSIC certificate along with techno-commercial bid and to ensure that certificate pertains to the class of item/works for which tender is floated. Govt Undertaking /PSUs are exempted from payment of TDC	₹590/- (Rupees Five hundred and ninety only) Payment of TDC by RTGS/ NEFT in favour of M/s IREL. RTGS DETAILS – AS PER ANNEXURE IX
	ii) Earnest Money Deposit(EMD) Note: PSU, State Govt. Undertakings are exempted from payment of EMD. MSME/SSI units are exempted from payment of EMD provided they submit valid MSME/ NSIC certificate along with techno-commercial bid and to ensure that certificate pertains to the class of item/works for which tender is floated.	₹36,340/- (Rupees Thirty six thousand three hundred andforty only)  Payment of EMDbyRTGS/ NEFT in favour of M/s IREL. RTGS  DETAILS – AS PER ANNEXURE IX
	iii) Transaction Fee  Note: Please note that vendors will have the access to online e- tender only after Transaction fee by NEFT in favour of MSTC Limited, Kolkata.	₹1000/- +₹180/-(Rupees One thousand one hundred and eight only) which is inclusive of GST  Note: Please note that vendors will have the access to online e-tender only after Transaction fee is paid vide RTGS/NEFT or through Online payment. In order to provide competitive bidding it has been decided that transaction fee paid by the bidders shall be reimbursed back to them after finalization of tender. However, for participation in tender the transaction fee is to be borne by the bidder.
j	Date of Starting of e-Tender for submission of on line Techno-Commercial Bid and price Bid at www.mstcecommerce.com/eprochome/irel	29-08-2022 at 10:00 Hrs
k	Date of closing of online e-tender for submission of Techno-Commercial Bid & Price Bid.	19-09-2022 at 14:00Hrs
I	Date & time of opening of Part-I(i.e.Techno-Commercial Bid)	19-09-2022at 14:30Hrs
m	Date & time of opening of Part-II (ie Price Bid)	Shall be informed separately.
n	Validity of Tender	120 days from the date of opening of tender.
	Delivery/ Completion Period\	As per annexure IV

р	List of Annexure	Title	Page nos.
	Annexure I	Important Instructions	3-5
	Annexure II	General Terms and Conditions of Contract	6-15
	Annexure III	Pre-Qualification Criteria	16
	Annexure IV	Special Conditions of Contract	17-23
	Annexure V	Tenderer's Response	24
	Annexure VI	Ethics	25
	Annexure VII	Undertaking	26
	Annexure VIII	Price schedule	27-32
	Annexure IX	IREL (India) Limited Bank details	33
	Annexure X	Contract Enrolment / Registration Form	34
	Annexure XI	BG format towards EMD	35
	Annexure XII	BG format towards SD	36

# **Important instructions for E-procurement**

Bidders are requested to read the terms & conditions of this tender before submitting their bids.

#### Process of E-tender:

A. Registration: The process involves vendor's registration with MSTC e-procurement portal which is free of cost. Only after registration, the vendor(s) can submit his/their bids electronically. For queries related to registration with MSTC, prospecting vendors may take help from dedicated help-desk no. 033-22901004. Electronic Bidding for submission of Technical Bid as well as Commercial Bid will be done over the internet. The Vendor should possess Class III signing type digital certificate. Vendors are to make their own arrangement for bidding from a P.C. connected with Internet. MSTC is not responsible for making such arrangement. (Bids will not be recorded without Digital Signature).

SPECIAL NOTE: THE TECHNICAL BID AND THE COMMERCIAL BID HAS TO BE SUBMITTED ON-LINE AT <a href="https://www.mstcecommerce.com/eprochome/irel">www.mstcecommerce.com/eprochome/irel</a>

- 1). Vendors are required to register themselves online with <u>www.mstcecommerce.com</u> → e-Procurement →PSU/Govt depts → Select IREL (India) Limited Logo->Register as Vendor -- Filling up details and creating own user id and password → Submit.
- 2). Vendors will receive a system generated mail confirming their registration in their email which has been provided during filling the registration form.

In case of any clarification, please contact IREL (India) Limited / MSTC, (before the scheduled time of the e-tender).

Contact person of Tendering Authority:

#### 1. Mr. K.J.M. Babu

Deputy General Manager (Electrical Stores& Purchase) Mobile No: +91 9446525129 Land phone: 04651-200402 Email: purchase-mk@irel.co.in

#### 2. Mrs. S. Latha,

Assistant Manager (Purchase)
Mobile No:9442525813
Email: slatha@irel.co.in
Contact person (MSTC Ltd):

#### 1. Mr. Damodaran,

Manager, MSTC Ltd. Mobile:9841002253/044 28285099 Email:damodaran@mstcindia.co.in

## 2. Mr. M.H.Jain,

Deputy Manager, MSTC Ltd., Mobile No.9721277969/044-282855023 Email: mhjain@mstcindia.co.in

Help-desk nos. 033-40645207, 40645316, 40609118, 22831002, 22891401, 22891005, 22901004, 22895064.

- B) System Requirement: i) Windows 7 or above Operating System ii) IE-7 and above Internet browser. iii) Signing type digital signature iv) Latest updated JRE 8 (x86 Offline) software to be downloaded and installed in the system. To disable "Protected Mode" for DSC to appear in The signer box following settings may be applied. Tools => Internet Options => Security => Disable protected Mode If enabled- i.e, Remove the tick from the tick box mentioning "Enable Protected Mode". Other Settings: Tools => Internet Options => General => Click On Settings under "browsing history/ Delete Browsing History" => Temporary Internet Files => Activate "Every time I Visit the Webpage". To enable ALL active X controls and disable 'use pop up blocker' under Tools →Internet Options→ custom level (Please run IE settings from the page <a href="https://www.mstcecommerce.com">www.mstcecommerce.com</a> once) The Techno-commercial Bid and the Price Bid shall have to be submitted online at 2 www.mstcecommerce.com/eprochome/irel. Tenders will be opened electronically on specified date and time as given in the Tender. All entries in the tender should be entered in online Technical & Commercial Formats without any 3 ambiguity. **Special Note towards Transaction fee:** The vendors shall pay the transaction fee using "Transaction Fee Payment" Link under "My Menu" in the 4 vendor login. The vendors have to select the particular tender from the event dropdown box. The vendor shall have the facility of making the payment either through NEFT or Online Payment. On selecting NEFT, the vendor shall generate a challan by filling up a form. The vendor shall remit the transaction fee amount as per the details printed on the challan without making change in the same. On selecting Online Payment, the vendor shall have the provision of making payment using its Credit/ Debit Card/ Net Banking. Once the payment gets credited to MSTC's designated bank account, the transaction fee shall be auto authorized and the vendor shall be receiving a system generated mail. NOTE 1. Please note that vendors will have the access to online e-tender only after Transaction fee is paid vide RTGS/NEFT or through Online payment. 2. In order to provide competitive bidding it has been decided that transaction fee paid by the bidders shall be reimbursed back to them after finalization of tender on submission of payment details transaction fee payment challan, generated in MSTC website alongwith request letter. However, for participation in tender the transaction fee is to be borne by the bidder.
  - **3.** Bidders are advised to remit the transaction fee well in advance before the closing time of the event so as to give themselves sufficient time to submit the bid.
- Information about tenders /corrigendum uploaded only during the process till finalization of tender. Hence the vendors are required to ensure that their corporate email I.D. provided is valid and updated at the time of registration of vendor with MSTC. Vendors are also requested to ensure validity of their DSC (Digital Signature Certificate).
- 6 E-tender cannot be accessed after the due date and time mentioned in NIT.

7	Bidding in e-tender :
'	a) Vendor(s) need to submit necessary EMD, Tender fees and Transaction fees (If ANY) to be
	eligible to bid online in the e-tender. Tender fees is non refundable. No interest will be paid on EMD. EMD of the unsuccessful vendor(s) will be refunded by the tender inviting authority after finalization of the order.
	b) The process involves Electronic Bidding for submission of Technical and Commercial Bid.
	c) The vendor(s) who have submitted transaction fee can only submit their Technical Bid and Commercial Bid through internet in MSTC website <a href="www.mstcecommerce.com">www.mstcecommerce.com</a> → e-procurement →PSU/Govt depts → Login under IREL (India) Limited → My menu → Auction Floor Manager → live event →Selection of the live event
	d) The vendor should allow running JAVA application. This exercise has to be done immediately after opening of Bid floor. Then they have to fill up Common terms/Commercial specification and save the same. After that click on the Technical bid. If this application is not run then the vendor will not be able to save/submit his Technical bid.
	e) After filling the Technical Bid, vendor should click 'save' for recording their Technical bid. Once the same is done, the Commercial Bid link becomes active and the same has to filled up and then vendor should click on "save" to record their Commercial bid. Then once both the Technical bid & Commercial bid has been saved, the vendor can click on the "Final submission" button to register their bid
	f) Vendors are instructed to use <i>Attach Doc button</i> to upload documents. Multiple documents can be uploaded.
	g) In all cases, vendor should use their own ID and Password along with Digital Signature at the time of submission of their bid.
	<ul> <li>h) During the entire e-tender process, the vendors will remain completely anonymous to one another and also to everybody else.</li> </ul>
	<ul> <li>i) The e-tender floor shall remain open from the pre-announced date &amp; time and for as much duration as mentioned above.</li> </ul>
	j) All electronic bids submitted during the e-tender process shall be legally binding on the vendor. Any bid will be considered as the valid bid offered by that vendor and acceptance of the same by the Buyer will form a binding contract between Buyer and the Vendor for execution of supply.
	k) It is mandatory that all the bids are submitted with digital signature certificate otherwise the same will not be accepted by the system.
	<ol> <li>Buyer reserves the right to cancel or reject or accept or withdraw or extend the tender in full or part as the case may be without assigning any reason thereof.</li> </ol>
	m) No deviation of the terms and conditions of the tender document is acceptable. Submission of bid in the e-tender floor by any vendor confirms his acceptance of terms & conditions for the tender.
8	Any order resulting from this tender shall be governed by the terms and conditions mentioned therein.
9	No deviation to the technical and commercial terms & conditions are allowed.
10	The tender inviting authority has the right to cancel this e-tender or extend the due date of receipt of bid(s) without assigning any reason thereof.
11	Vendors are requested to read the vendor guide and see the video in the page
	<u>www.mstcecommerce.com/eprochome</u> to familiarize them with the system before bidding.

#### **General Terms & Conditions**

#### **Definition of Terms**

# a) Purchaser/Company/IREL

The 'Purchaser/Company/IREL' shall mean IREL (India) Limited, incorporated under the Companies Act, 1913 and having its registered office at Plot No. 1207, ECIL Building, Veer Savarkar Marg, Prabhadevi, Mumbai-400028.

#### b) Contractor/Supplier/Tenderer/Bidder

The 'Contractor/Supplier/Tenderer/Bidder' shall mean the person or company whose tender is accepted by the Purchaser and shall be deemed to include the Contractor's successors, heirs, executors, administrators, representatives and assigns approved by the Purchaser.

# c) Subcontractor

The 'Sub-contractor' shall mean the person or company named in the contract for any part of the work or any person to whom any part of the contract has been sub-let by the Contractor with the consent in writing of the Purchaser and shall include his heirs, executors, administrators, representatives and assignees approved by the Purchaser.

# d) Contract

The term "Contract" shall mean and include the invitation to tender, tender specification, the instructions to tenderers, letter of intent, acceptance of tender, particulars hereinafter defined in respect of the supply and delivery of materials and for the performance of services within the scope of the tender.

# e) Engineer / Engineer-in-Charge (EIC)/ Officer-in-Charge (OIC)

The term "Engineer" as used herein shall mean engineer or Engineer-in-Charge (EIC) and "Officer" as used herein shall mean engineer or Officer-in-Charge (OIC) as are designated by the company.

# f) Tender Specification

The term "Tender Specification" shall mean the design data, drawing schedules, broad equipment characteristics and other technical details furnished with the invitation to tender for the purpose of submitting the offer by the tenderer.

## g) Contract Specification

The term "Contract Specification" shall mean the schedules, detailed designs, statements of technical data, performance characteristics and all such particulars mentioned as such in the contract

#### h) Letter of Intent (LOI)

The term "Letter of Intent (LOI)" shall mean intimation by a letter to contractor that the tender has been accepted in accordance with the provisions contained in that letter.

#### i) HO/CO

The term "HO/CO" shall mean Head Office /Corporate Office, Plot No. 1207, ECIL Building, Veer Savarkar Marg, Prabhadevi, Mumbai-400028.

#### j) Site

The term "Site" shall mean the place or places envisaged by the company at which the plant and equipment supplied under the contract are to be erected and/or services are to be performed under the contract.

#### 1. General

- 1.1 Contractor has to make own arrangement for tools and tackles, lifting equipments, transportation and any other materials and consumables required for completion of the work unless otherwise stated specifically.
- 1.2 The Contractor shall be allowed to work daily from 08.00 to 16.00 hours except on Sundays and holidays unless otherwise stated specifically.
- 1.3 The contractor shall deploy adequate skilled / semi-skilled / unskilled labourers, required for the work and carry out the work strictly as per the instruction of EIC/OIC. If required, the Contractor shall deploy additional labour in order to complete the work in shorter duration depending upon the requirement.
- 1.4 Any information/doubt regarding the details of this tender shall be clarified from the Company officials between 8 a.m. and 4 p.m. on all working days (except Sundays & holidays) over phone/mail.
- 1.5 The Company reserves the right to accept or reject any tender/offer without assigning any reason whatsoever and no tenderer shall claim over such action.
- 1.6 Water and electricity required for the work shall be provided by the Company free-of-cost.

#### 2. Validity of Offer

Offers submitted by the tenderer shall be valid for 120 days from the date of opening of offer.

#### 3. Contract agreement.

The successful Contractor shall have to execute an agreement for the due fulfillment of the contract. A stamp paper worth Rs.100/- (Rupees One Hundred only) is to be produced for executing the agreement. If the successful tenderer fails to execute the agreement within one month from the date of issue of the order,

#### 4. Standards

The Machinery and Services supplied under this Contract shall conform to the standards mentioned in the Technical Specifications and, when no applicable standard is mentioned, the latest current edition or revision of the relevant Indian Standards and Codes shall be considered.

### 5. Scope of Order and Specifications

Contractor shall supply the material or execute the work according to the specifications enclosed and in accordance with all conditions both general and specific enclosed with order, unless any or all of them have been modified or cancelled in writing either as a whole or in part by IREL (India) Limited.

#### 6. Inspection of site

The bidder or his representative shall be deemed to have inspected and examined the site and surroundings before submitting his tender and shall obtain the necessary information as to risks and other circumstances which may influence or affect his tender.

#### 7. Earnest Money Deposit (EMD)

- 7.1 Tenderers shall remit EMD through NEFT/ RTGS in favour of M/s IREL (India) Limited, Manavalakurichi as mentioned in SOT. Details of payment should be uploaded in MSTC portal and E-mail to be forwarded to IREL (India) Limited at "purchase-mk@irel.co.in" clearly mentioning full postal address of the Tenderer, E-Tender No for which EMD & TDC were paid, Payment details including amount, UTR No and bank details from which payment was done.
- 7.2 Persons / Firms / Body Corporate registered with NSIC or under MSME Development Act 2006, are exempted from payment of EMD subject to the production of proof of current registration certificate in line with the subject requirement along with the offer. Scanned copy of MSME certificate is to be uploaded.
- 7.3 The Earnest Money shall stand forfeited in favour of M/s.IREL (India) Limited. without any further notice to the tenderer if:
  - i. The tenderer indulges himself in any undesirable practice or malpractice.
  - ii. The tenderer during the tender validity period resiled from his offer or modifies the terms and conditions thereof in a manner not acceptable to M/s.IREL (India) Limited.
  - iii. The tenderer does not convey his written acceptance within a maximum period of 15 days from the date of issue of the work order placed on him.

- iv. The successful tenderer does not deposit the security deposit within 30 days from the date of issue of the work order.
- v. The successful tenderer does not execute an agreement in stamp paper as per law for due fulfillment of the contract within 30 days from the date of issue of work order

#### 8. Security Deposit (SD)

- 8.1 The successful Contractor shall furnish a Security Deposit amounting to 3% of the total value of the contract within 21 days of placement of order.
- 8.2 The Security Deposit may be remitted in the following forms:
  - i) Through NEFT/ RTGS in favour of M/s. IREL (India) Limited, Manavalakurichi.
  - ii) Demand draft drawn on State Bank of India in favour of M/s. IREL (India) Limited
  - iii) Irrevocable Bank Guarantee from any Scheduled / Nationalised bank acceptable to M/s. IREL (India) Limited as per annexure XII.
- 8.3 The Security Deposit shall be for the due and faithful performance of the contract and shall remain binding notwithstanding such variations; alterations or extensions of time as may be made, given conceded or agreed to between the contractor and M/s. IREL (India) Limited under the General Conditions or otherwise.
- 8.4 The security Deposit furnished by the successful tenderer shall not carry any interest whatsoever.
- 8.5 EMD may be adjusted towards SD. However, if EMD is submitted in the form of Bank Guarantee, fresh Bank Guarantee is to be submitted towards SD in the prescribed format as per annexure IX.
- 8.6 In exceptional cases of work contracts, the approving authority may consider recovering balance SD (in addition to EMD if it is given not in BG form) amount from 1 st running bill of the contractor.

#### 9. Retention money:

- 9.1Where in a contract, payment is made on progressive billing of work executed, 5% of the bill value shall be retained at the time of making payment towards rectification/defective work made as retention money.
- 9.2 The total SD and retention money together towards performance guarantee shall not exceed 10% of the contract value.

#### 10. Refund of SD and Retention money:

- 10.1 Before releasing SD or retention money in respect of supplies/works, a "No Due Certificate" shall be issued by EIC/OIC duly countersigned by head of the department after ensuring that no amounts are recoverable from the supplier/contractor.
- 10.2 EIC/OIC shall recommend release of SD and retention money after compliance by the contractor towards guarantee/warranty/performance guarantee & other related clauses as stipulated in the purchase/work order and on submission of formal claim by contractor.
- 10.3 On receipt of "no dues certificate" from EIC/OIC, SD or retention money retained in the form of B.G and / or any form shall be refunded at the earliest, if the contractor is not liable to pay any money to IREL (India) Limited under any other contract.

#### 11. Forfeiture of SD & Retention Money:

The SD & retention money shall stand forfeited in favour of IREL (India) Limited, without any further notice to the contractor in the following circumstances:

- 11.1 In case of any failure whatsoever on the part of the contractor at any time during performance of his part of the contract including the extended periods of contract, where notice is given and time for rectification allowed.
- 11.2 If the contractor indulges at any time in any subletting/sub-contracting of any portion of the work without approval of IREL (India) Limited.

#### 12 Assignments and Subletting

- 12.1 The contractor shall not assign, sublet or transfer the contract or any part thereof or any benefit or interest therein or there under without the written consent of company.
- 12.2 The contractor shall not sublet the whole or any part of the work without the written consent of the company and such consent, if given, shall not establish any contractual relationship between the sub-contractor (s) and the company and shall not relieve the contractor of any responsibility, liability, or obligations under the contract and the contractor shall be responsible for the acts, defaults or neglects of any sub-contractor or his agent or workmen.

#### 13. Prices

Unless otherwise agreed to specifically in order, the price payable by IREL (India) Limited to the contractor under the order shall remain firm throughout the period of contract and shall not be subject to any escalation. The prices shall be itemized in accordance with the Price Schedule attached in Price bid and the Bidder quoted for all items as per Price bid format will only be considered. All prices in the tender shall be inclusive of all applicable taxes and all other statutory levies applicable. The Contractor is responsible and liable for remitting all statutory dues collected / included in the Price schedule of the contract to the statutory authorities without fail. IREL (India) Limited is not responsible for remittance of such tax collections.

#### 14. Taxes, duties & levies

- 14.1 Bidders must clearly mention their GSTIN number in the offers and invoices, IGST, CGST & SGST rates shall be clearly mentioned in the offer indicating the applicable rates in order to enable IREL (India) Limited to avail tax benefits, the contractor shall ensure submission of GSTIN Tax invoice as per the prescribed formats by the statutory authorities.
- 14.2 You shall remit the tax collected within the stipulated period to the government and file the return.
- 14.3 Your GST Compliance rating will also be considered as one of the parameter during vendor evaluation
- 14.4 Income Tax and other Taxes will be deducted at source, if applicable as per rule.
- 14.5 Any Change in taxation during the tenure of contract will be as per applicable statute.

#### 15. Performance test

The Contractor shall be responsible for carrying out performance tests on all equipment supplied by him and/or procured by the Purchaser as indicated in the Technical specifications covered in this Tender document, in the presence of the Purchaser's representative. This responsibility shall rest with the contractor regardless of whether the erection has been carried out by him or any other agency. On the satisfactory completion of the performance test, the Purchaser will issue an acceptance certificate on written request from the Supplier. The date of the acceptance certificate shall be considered to be the date of satisfactory completion of the performance test.

#### 16. Alteration of specifications, patterns and drawings

During the progress of the work, the Purchaser may require deviations from, additions to or omission in the drawings, specifications and the scope of work originally agreed upon between the Contractor and the Purchaser. Such changes shall not invalidate the contract. The contractor shall make such changes of whatever character they may be, as part of the Contract. As from that date the Stores shall be in accordance with the specifications, patterns and drawings so altered which the contractor is bound to comply with. No change in the scope of the work shall be made without a written instruction issued therefore by the Purchaser. Revised drawings, bills of materials or specifications, shall also be considered as written instructions. In the event of such alteration involving a revision in the cost, the same shall be discussed and mutually agreed to taking into account the unit rates of similar items in the contract. In case of disagreement, the decision of the Purchaser, in the cost, shall be final and conclusive.

#### 17 Patent Rights etc:

- 17.1 The contractor shall fully indemnify the purchaser against all actions, demands, claims, costs, charges and expenses arising from or incurred by reason of any infringement or alleged infringement of letters of patent, design or copy-right of any plant supplied by the contractor.
- 17.2 The Purchaser on his part warrants that any design or instruction furnished or given by him shall not be such as will cause the contractor infringe any letter of patent, registered design, trade mark, or copy-right in the performance of the contract.

#### 18. Correspondence

All correspondence shall be in English and addressed to IREL (India) Limited drawn to the attention of the officer issuing the order, unless otherwise specifically authorized.

#### 19. Compliance with Statutory and Other Regulations

- 19.1 The Contractor shall, in all matters arising in the performance of the Contract, conform at his own expense with the provisions of all Central or State statutes, ordinances or laws and the rules, regulations, or bye-laws of any local or other duly constituted authority and shall keep the Purchaser indemnified against all penalties and liabilities of every kind for breach of any such statute, ordinance, law, rule regulations or bye-law. The Contractor shall give all notices and pay all fees and taxes required to be given or paid under any Central or State statutes, ordinances or other laws or any regulations or bye-laws of any local or other duly constituted authority in relation to the contract.
- 19.2 The Contractor should (a) obtain Code Nos./Account Nos. for the Workmen's Provident Fund from R.P.F.C., (b) effect recovery of Provident Fund contribution of the workmen (c) make arrangement for crediting employer's contribution and (d) maintain Workmen Provident Fund Accounts through R.P.F.C. as required. The Contractor should produce all the records pertaining to the above along with the final bill for verification by the Company.
- 19.3 Statutory Records & Registers to be maintained by the Contractor under Mines Act
  - a. Form-A
  - b. Form-D
  - c. Form-O(Initial Medical Examination)
- 19.4 Register & Records under Contract Labour (Regulation & Abolition) Act, 1970 :
  - a. Muster Roll
  - b. Wage Register
  - c. Employment Card
  - d. Wage Slip
  - e. Licence under Contract Labour (R&A) Act 1870Contractor has to obtain LabourLicence if the number of labourers engaged by him exceeds Nineteen (19) Records required for Contractor engaging labourer(s) brought from the states other than Tamil Nadu, Under Inter-state Migrant Workmen Act:
  - (i) Inward and Outward Journey Statement in Form XV and XVI in case of Inter-state Migrant Workmen.
  - (ii) The Contractor to obtain licence under Inter-state Migrant Workmen Act, if the number of Migrant Workmen exceeds four (4)
  - f. Contractor Enrolment / Registration Form (Annexure X) filled by the successful contractor after receipt of work order.
- 19.5 Minimum Wages Act, 1948
  - a. The Contractor will be liable to pay to his workmen minimum wages notified from time to time by the Government of India.
  - b. Monthly wages to be disbursed in the presence of the representative of the Company before 10th of every month.
- 19.6 Employee's Compensation Act, 1923

The Contractor is liable to pay compensation to his workmen in case of accident(s). The contractor shall produce valid insurance policy towards the same before commencement of the work. Contractor will not be permitted to commence the work without a valid policy. The contractor shall indemnify the company from all losses and expenses arising out of the delay in commencement of the work.

19.7 The contractor shall ensure that he shall comply with all statutory Act and Rules governing labour engagement which includes inter-alia EPF & Misc. Provisions Act 1952, Payment of Wages Act 1948, Minimum Wages Act 1948, Payment of Bonus Act 1965, Contractor Labour (Regulation & Abolition) Act, 1970, Mines Act 1952, Employee's Compensation Act, 1923, Payment of Gratuity Act 1972 etc. and shall indemnify the Company from all losses arising out of non-compliance of the statutory Act and Rule by the contractor.

#### 19.8 Workmen's Safety and Compliance of Rules etc.,:

It is Contractors's sole responsibility for ensuring the safety and welfare of all their workers at site and they shall abide by the rules & regulations of the Company regarding safety, security, etc. You shall comply with all statutory provisions like Mines Act 1952, Atomic Energy Act 1962, Industrial Disputes Act 1947, Contract Labour (Regulation and Abolition) Act 1971, Employees Compensation Act 1923, Minimum Wages Act 1948, PF Act 1952 and the respective rules made there-under in all matters connected with your services, safety, etc. You shall take appropriate insurance cover for all contract workmen under the Employees Compensation Act, 1923. At the time of the commencement of contract work, contractor shall produce copy of the Insurance Policy covering the risk of accident, etc. of the contract workers to be engaged by you in the contract work under the Employee Compensation Act 1923 without which you will not be allowed to commence the work. If during the subsistence of the contract, any additional contract worker (s) is to be engaged, you shall ensure that the name of the new contract worker (s) is also included in the Insurance Coverage under the Employees Compensation Act 1923 and only after inclusion of the name of the said contract worker(s), you will be allowed to engage him in the work. You are liable for compliance of all statutory laws and absolve the Company fully from any or all claims/ disputes/ damages, etc. You are also requested to submit proof of compliance on the above to the Company.

Contractor shall ensure that all their workmen and supervisors on site use only approved personal protective equipments (PPE's) for your safety. Safety belts with double lanyard only are to be used for work at height.

#### 20 Safety regulations

- 20.1 It shall be the sole responsibility of the Contractor for the safety and welfare of all the erection crew/workers at site and they shall abide by the rules and regulations of the Company regarding working, etc. The contractor shall comply with all statutory provisions under Mines Act, Atomic Energy Act, Industrial Disputes Act, Contract Abolition Act, Employee Compensation Act, Minimum Wages Act and the respective rules made there under in all matters connected within their services, safety, etc. and absolve the Company fully from any or all claims/disputes/ damages, etc.
- 20.2 The contractor shall ensure that all his employees working within IREL (India) Limited premises/mine posses valid Vocational Training Certificates issued under Mines vocational Training Rules 1966. Persons not possessing valid vocational training certificates has to undergo Vocational Training (VT) at IREL (India) Limited, MK's VT centre and shall be allowed only after completion of VT duly certified by VTO,MK. Period of training shall be as directed by I/c VT based on the type and nature of job contained in the WO.
- 20.3 The Contractor shall ensure that all his employees have to undergo Initial Medical Examination as per Mines Rules, 1955. The contractor shall submit the Medical Examination Certificate (Form-O) of all his employees before commencement of work.
- 20.4 The Contractor should strictly follow the safety procedures detailed in the AERB Safety Guide for works contracts.
- 20.5 The successful Contractor shall furnish in advance, a list of man power employed by them daily to the Company authorities and shall keep a register for this purpose. The Contractor should abide by all Safety and security regulations of the Company and provide personal protective equipments to the employees. All safety precautions are to be taken before commencing the work. The contractor shall start the daily work after obtaining Safety permit from the company and should strictly follow the instruction of safety permit.
- 20.6 The contractor shall ensure compliance of all requirements of statute and the system related to safety. Non compliance of any safety laws/directive of EIC/OIC shall attract penalty. Amount of penalty imposition shall be at the sole discretion of EIC/OIC which shall be binding on the contractor and cannot be claimed for its waival.

#### 20.7 "Safety belts with double lanyard only are to be used for work at height"

#### 21 Security regulations

The Contractor shall abide by all the security regulations at site promulgated by the Purchaser from time to time. The Contractor shall provide identity badges for all his personnel, which must be properly displayed by them at site. IREL (India) Limited shall have the right to instruct the contractor to recall his personnel in case of unsatisfactory behavior. The Contractor shall undertake the work strictly as directed by IREL (India) Limited officials.

#### 22 Accident or Injury to Workmen

The Contractor shall be solely liable for any accident or injury that may happen to any of his personnel engaged in the Contract. The company shall not be liable for, or in respect of, any damage or compensation payable at law in respect of, or inconsequence of, any accident or injury to any personnel in the employment of the contractor and the contractor shall indemnify and keep indemnified the company against all such claims, damages, compensations and proceedings. The Contractor shall forthwith report to the company all cases of accidents to any of his personnel and shall make every arrangement to render all possible assistance and aid to the victims of the accident.

#### 23 Method of black listing vendors

- a. Any failure to supply/execute the contract as per order shall be considered for black listing vendors name from approved list of vendors. The black listed vendor shall not be considered for a period of one year from the date of black listing. However competent authority can revoke any black list order subject to adequate justification for thesame.
- b. Further the competent authority can blacklist the bidder, if the bidder changes terms &conditions or prices or withdraw his quotation subsequent to the date of opening.
- c. Further, the vendor shall be banned from doing any business with the company in case of:
- (a). If security considerations including question of loyalty to the state so warrant.
- (b). If the proprietor of the firm, its partner or representative is convicted by a court of law following prosecution for offences relating to business dealings.
- (c) If there is strong justification for believing that the proprietor or employee or representative of the firm has been guilty of malpractice such as bribery, corruption, fraud, substitution of tenders, interpolation, misrepresentation, evasion or habitual default in payment of any tax levied by law, etc.
- **Basis of Evaluation**: Unless provided for otherwise; bids shall be evaluated to arrive at L1(Lowest) status considering the landed cost net of GSTIN credit / loading as the case may be for placement of order among those bidders whose offers are techno-commercially acceptable to IREL (India) Limited.

#### 25. Liquidated Damages

For delays attributable to the supplier/contractor liquidated damages shall be levied at the rate of 0.5% per week or part thereof on the value of unfinished supply/work for each week of delay subject to a maximum of 5% of the total contract value. However if separate period of completion is specified for certain item of work or group of items of work at the time of issuing the order the liquidated damage can be levied accordingly for the value of the item of work or group of items of work. The Purchaser may at his option and without prejudice to any other method of recovery, deduct the amount of such damages from any moneys in his hands due to the Contractor. The payment or deduction of such damages shall not relieve the Contractor from his obligations to complete the work or from any other of his obligations and liabilities under the contract.

Wherever the supply / work is on turnkey or having a bearing in commissioning and performance of the system in total, LD shall be imposed on total value, in such cases.

#### 26 Secrecy

The Contractor shall not at any time during the pendency of the contract or there after disclose any information furnished to them by the Purchaser or any drawings, designs, reports and other documents and information prepared by the Contractor for this contract, without the prior written approval of the Purchaser except in so far as such disclosure is necessary for the performance of the Contractor's work and service hereunder.

#### 27 Indemnity

The contractor shall indemnify the Purchaser and keep the Purchaser indemnified to the extent of the value of free issue materials to be issued till such time the entire contract is executed and proper account for the free issue materials is rendered and the left over/surplus and scrap items are returned to the Purchaser. The contractor shall not utilize the Purchaser's free issue materials for any job other than the one contracted out in this case and also not indulge in any act, commission or negligence which will cause/result in any loss/damage to the Purchaser and in which case, the Contractor shall be liable to the Purchaser to pay compensation to the full extent of damage/loss and undertake to pay the same.

#### 28 Termination of Contract

IREL reserves the right to terminate the contract at any time, without assigning any reasons by giving two weeks' notice in writing and without any liability to pay any compensation. However, the contractor shall have no similar right to terminate the contract.

#### 29 Death, Bankruptcy, etc.

If the Contractor dies or dissolve or go into bankruptcy, or being a corporation cause to be wound up except for reconstruction purposes or carry on its business under a receiver, the executors, successors or other representatives in law of the estate of the Contractor or any such receiver, liquidator, .or any person in whom the contract may become vested, shall forthwith give notice thereof in writing to the Purchaser and shall remain liable for the successful performance of the contract, and nothing aforesaid shall be deemed to relieve the Contractor or his successors of his or their obligations under the contract under any circumstances. The Purchaser may terminate the Contract by notice in writing to the Contractor.

#### 30 Force Majeure:

Force majeure is an event beyond the control of supplier/contractor and not involving the supplier's/contractor's fault or negligence and which is not foreseeable. Such events may include, but are not restricted to acts of the purchaser/contractor either in its sovereign or contractual capacity, wars or revolution, hostility, acts of public enemy, civil commotion, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts and freight embargoes or any other event which IREL (India) Limited may deem fit to consider so. The decision about force majeure shall rest with IREL which shall be final and binding.

If there is delay in performance or other failures by the supplier/contractor to perform obligations under its contract due to event of a Force Majeure, the supplier/contractor shall not be held responsible for such delays/failures.

If a Force Majeure situation arises, the supplier/contractor shall promptly notify the purchaser in writing of such conditions and the cause thereof within fifteen days of occurrence of such event. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as reasonable/practical and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period of exceeding sixty days, IREL (India) Limited may at its option terminate the contract without any financial repercussion on either side.

#### 31 Arbitration

All disputes or difference whatsoever arising between the parties out of or relating to the contract shall be settled through discussions between the Chairman & Managing Director of IREL (India) Limited and the authorised signatory of the contractor. In case an amicable settlement is not arrived at, the matter will be settled through Arbitration. The provisions of The Arbitration & Conciliation (Amendment) Act, 2015, and Rules made there under and/or any statuary modifications or reenactment thereof for the time being in force shall apply to such arbitration proceedings. The language of the arbitration proceedings shall be English and the place of arbitration proceedings shall be the concerned IREL unit where the contract is executed.

If the Bidder is dissatisfied with the decision of such authorized person, then he may within 30 days of receipt of such decision send a written appeal to IREL, represented by the Chairman and Managing Director at the registered office, Mumbai for Arbitration, in accordance with the provisions of the Arbitration and Conciliation Act and the Rules framed there under from time to time, and for the time being in force. Such written appeals should however

specify only those matters in dispute, which have been referred to such authorized person but not satisfied with the decision and the reasons leading to his dissatisfaction.

#### 32 Legal Capacity

The tenderer shall satisfy the Purchaser that he is competent and authorized to submit the tender and/or to enter into a legally binding contract with the Purchaser. To this effect, any person giving a tender shall render documentary evidence that his signature on the tender, submitted by him, is legally binding upon himself, his firm or Company, as the case may be.

#### 33. Jurisdiction

The courts within the local limits of whose jurisdiction the place from which the purchase order is issued is situated only shall, subject to Arbitration Clause, have jurisdiction to deal with and decide any matter arising out of this contract.

The contract shall be deemed to have been entered into in MANAVALAKURICHI and all cases of action in relation to the contract will thereof be deemed to have arisen within the jurisdiction of Civil Court of NAGERCOIL / THUCKALAY

#### 34. Police Verification Certificate

The successful contractor is responsible to produce recent Police Verification Certificate (PVC) for himself and all contract workmen to be engaged in IREL (India) Limited, prior to commencement of work and PVCs are to be submitted to Security-in-Charge without fail. Non submission of PVCs would entitle disqualification of contractor from entering in IREL (India) Limited premises.

#### 35. Risk Purchase Clause

After award of the contract, if the tenderer fails to execute the contract as per tender or at any time repudiates the order, IREL (India) Limited have the right to forfeit the EMD/SD and execute the contract through other agencies at the risk and cost of the contractor. The cost differences between the alternative arrangements and total contract value will be recovered from the contractor along with other incidental charges. In case of execution of contract through alternative sources and if price is lower, no benefit on this account will be passed on to the contractor.

#### 36.Cancellation:

IREL (India) Limited reserves the right to cancel the Purchase/wok/service/consultancy Order or any part thereof and shall be entailed to rescind the contract wholly or in part in a written notice to successful tenderer if;

- Successful tenderer fails to comply with the terms of the purchase/work/service/consultancy order.
- Successful tenderer fails to convey written acceptance of the Order within 15 days of receipt at their end. Successful tenderer fails to deliver goods on time and / or to replace the rejected goods promptly.
- Successful tenderer becomes bankrupt or goes into liquidation.
- Successful tenderer make a general assignment for the benefit or creditors and a receiver is appointed for any of the property owned by successful tenderer fails.

Upon receipt of the said cancellation notice the successful tenderer shall discontinue all work on the Purchase/work/service/consultancy order and matters connected with it. IREL (India) Limited in that event will be entitled to procure the requirements in the open market and recover excess payment over Successful tenderer's agreed price, if any, from reserving to itself the right to forfeit the EMD and/or security deposit, if any, submitted by the successful tenderer against the contract.

#### 37. GENERAL INFORMATION OF PLANT SITE - MANAVALAKURICHI

Location: IREL (India) Limited
 Works Terrain: Sandy Plain Terrain

3. Climatic Conditions: The climatic conditions pertaining to the plant site are generally as indicated

below

Maximum of mean daily temperature: 35°C
Minimum of mean daily temperature: 20°C
Relative humidity maximum: 95%
Relative humidity minimum: 90%

Maximum mean monthly wind velocity: 60 KMPH

Maximum wind velocity between 40 KMPH... / .60 KMPH

4. Susceptibility to Earthquake ZONE III

5. Railways:

The Broad gauge line of Southern Railway connecting Chennai and Cape Comorin passes at a distance of 20km from the boundary of the plant site. The major Railway stations are (i) Nagercoil at a distance of about 20 km and (ii) Eraniel at, a distance about 13 km.

6. Sea Ports:

The nearest seaport Tuticorin is approximately 160 km by road.

7. Airport:

The nearest airport is at Thiruvananthapuram at a distance of 67 km by road. From Thiruvananthapuram flights are available to all major towns of India.

8. Communications:

Postal and Telephone facilities are available at

Post : Manavalakurichi

Telephone : (04651) 237255 to 237257

Fax : 04651 - 237220

E-mail: <u>purchase-mk@irel.co.in</u>

Website : www.irel.co.in

The provision of the above information is for the Contractor's general guidance only and does not relieve him of his responsibility to satisfy himself of the site condition and sufficiency of the tender. No claim whatsoever shall be admissible or any extra shall be allowed on these accounts.

#### PRE-QUALIFICATION CRITERIA

The tenderer should submit the following towards Pre-Qualification Criteria:

- 1. Experience of having successfully completed similar works during last 7 years ending 30<sup>th</sup> June 2022 and the same should be either of the following. The tenderers should produce copy of work order in support of the same with satisfactory completion certificate from concerned authority/department/organization for similar works.
  - a. Three similar works, each costing not less than Rs. 14,53,600/-.

(OR)

b. Two similar works, each costing not less than Rs.18,17,000/-.

(OR)

c. One similar work, costing not less than Rs.29,07,200/-.

<u>Definition of similar works</u>: Similar works means works involving building Construction/repair Works.

2. Average annual financial turnover during the last 3 years, ending 31<sup>st</sup> March 2021, should be at least Rs.10,90,200/-. (Copies of profit & loss account and balance sheets for the last 3 years are to be submitted).

#### Note:

- 1. In the absence of receipt of Pre-qualification criteria, the offer will not be considered under any circumstances.
- 2. Pre-qualification Criteria can be relaxed for MSEs and startup companies subject to meeting quality and technical specification. Party has to submit necessary documents for the same.
- 3. The offers of the bidders who have defaulted in the past in execution of the contracts or in complying with the obligations as per the contract shall not be considered.

#### SPECIAL CONDITIONS OF CONTRACT

#### 1.Scope of Work:

Repair and maintenance of scooter/bike shed infront of Admin. Office, near front security booth and temporary bike shed at MK plant land infront of Pachivilagam temple and steel structural and sheet repair work at side cladding in product godown as per following specification and as per the direction of Engineer-in-charge.

- Dismantling and removal of R.R. masonry/brick masonry/plain cement concrete work, etc. upto 5m height and dumping the debris within a lead of 500m etc. complete as per the direction of Engineerin-charge.
- 2. Dismantling and removal of RCC foundation/column/slab/beam, etc. in all heights upto 8m from floor level including all necessary scaffolding and dumping the debris within a lead of 500m, and returning the MS rod to store, etc., complete as per the direction of Engineer-in-charge.
- 3. Earthwork excavation for foundation in all types of loose/hard soil and depositing the spoils with an initial lead of 20m and lift upto 2m including refilling etc., complete as per the direction of the Engineer-in-charge.
- 4. Supplying, providing and laying PCC 1:4:8 mix for foundation/ flooring work using 40mm and below grade hard blue granite jelly including all form works, mixing, laying, compaction, consolidation and curing, etc. complete as per standard specifications and as directed by the Engineer-in-charge.
- 5. Supplying, providing and laying PCC 1:2:4 mix for foundation/ flooring work/kerb wall drainage wall using 20mm and below grade hard blue granite jelly including all form works, mixing, laying consolidation and curing, etc. complete as per standard specifications and as directed by the Engineer-in-charge.
- 6. Supplying, providing and fixing twisted reinforcement IS 1786 HYSD bars Fe500D/Fe550D (TMT bars TATA/Agni/JSW) including fabrication, cutting, bending, cold tying, with overlapping to the standard length wherever necessary and placing the reinforcement in position as per the direction of Engineer-in-charge including binding, provision of spacer bars, cover blocks and all other incidental charges, etc. complete for all RCC works as per standard specification and as per the direction of Engineer-in-charge.
- 7. Supplying, providing and laying cement concrete 1:1.5:3 for RCC works using 20mm and below grade hard blue granite jelly with specified reinforcement and all mixing, laying, compaction, leveling, consolidation and curing, etc., including the cost of centering/shuttering work, complete as directed by Engineer-in-charge.
- 8. Earth filling for foundation/flooring work using departmental sand including all transportation of filling sand from HUP to site, levelling works, compaction, consolidation, etc. complete as per standard specifications and as directed by the Engineer-in-charge.
- 9. Supplying and spreading 150mm consolidated thick gravel of approved quality above the refilled earth surface with watering, levelling works, compaction and consolidating, etc. complete as per the direction of Engineer-in-charge.
- 10. Supplying, providing and laying brick masonry in CM 1:6 using well burnt country brick of minimum size 22.9x11.2x7cm for foundation/kerb wall/wall upto 4.5m height from ground level including all scaffolding, staging, curing, etc. complete complying with standard specifications and as directed by the Engineer-in-charge.
- 11. Supplying, providing & laying RR masonry foundation/wall/retaining wall in cement mortar 1:6 for construction of wall using hard blue granite stone, etc. complete from 1m below ground level to 3m height above ground level with neat finishing including proper pointing & necessary scaffolding work etc complete as per standard specifications and as directed by the Engineer-in-charge.
- 12. Supplying, plastering with CM 1:4 mix 15mm thick one coat floated hard & trowelled smooth etc for floors & walls upto 8m height with neat finishing and necessary grouting, etc. complete complying with standard specifications and as directed by the Engineer-in-charge.
- 13. Supplying, plastering with CM 1:2 mix 20mm thick one coat floated hard & trowelled smooth etc for ornamental/ sculpture works upto 10m height with neat finishing and necessary grouting including

- scaffolding work etc. complete complying with standard specifications and as directed by the Engineer-in-charge.
- 14. Supplying, providing, cutting and fixing of 'B' class GI (galvanised iron) pipe of size 1"x2" (horizontal member) by imbedding in brick wall post. The 'B' class GI horizontal members shall require to be erected 3 rows at equal spacing with required clambing including painting with two coat with 1st quality enamel paint of approved shade (Berger/Asian/Nippon) over a coat of enamel zinc-chromate/zinc phosphate primer (Berger/Asian/Nippon), etc. complete as per the direction of Engineer-in-charge.
- 15. Supplying, providing, hoisting and fixing of roof trusses including purlin, rafter, sleeves false rafter, base plate bracing and lacing, etc. fabricated out of G.I tubular square/rectangular heavy (C-class) pipes (purlin-1 1/4"; rafter 1 1/2"; bracing -1") (TATA/Jindal) conforming to relevant I.S. code and providing G.I. tubular square/circular post heavy (C-class) (3"x3") (TATA/JINDAL) and proper welding with base plates and base fixing with concrete including painting with two coats of approved enamel paints (Asian/Berger/Nippon) over a coat of zinc chromate primer etc. complete. Over the roof truss fixing with 0.47mm thick powder coated sheet/ powder coated end curved sheet [TATA Durashine /equivalent make] (blue / red) with proper slopping, necessary ridges and drain arrangements, around sidecladding and fixing 8mm dia G.I. polymer coated bolts & nuts (Aargee Associates/equivalent make), washer and bolt cap, necessary fittings etc., complete as per the direction of Engineer-in-charge.
- 16. Supply of paint and painting two coat with 1st quality emulsion paint of approved shade (Asian/Berger / Nippon) for internal & external surface of walls, ceiling over a coat of cement primer (Berger/ Asian/ Nippon) upto 5 mtr height from ground level including thorough scrapping, cleaning, removal of dirt and all tools & tackles, scaffolding, etc. and applying one coat putty touch-up works for external wall wherever required, etc. complete as directed by the Engineer-in-charge.
- 17. Dismantling and removing of damaged steel structural fully/partly such as roof/side cladding, purlin, trusses, bracings, columns & gates, etc. and re-fixing the damaged members of dismantled structures with dismantled good steel members (necessary fabrication to be done if required)/ new fabricated steel structures (under item No.18) with welded/bolted joints with the existing structures, etc. upto 15m height from floor level as directed by the Engineer-in-charge (Rate excluding the cost of good re-usable steel & new fabricated steel under item No.18).
- 18. Supply of steel and fabricating the portion/full of truss/ purlins/ bracing/ columns/gates, etc including cutting, welding, jointing to suit the dismantled portion for replacing the worn-out members of the existing trusses/ purlins/ bracings/ column/gates or full members, etc. complete as directed by Engineer-in-charge. (Rate including cost of all materials) (Structural steel conforming to IS 2062:2011 of make TISCO/ SAIL/ RINL)
- 19. Supplying and painting two coats with epoxy smoke grey paint (Asian /Berger/ Shalimar) over a coat of epoxy zinc-chromate/zinc-phosphate primer (Asian/ Berger/ Shalimar) including chipping, scrapping and cleaning the surface, etc. complete as directed by Engineer-in-charge.
- Dismantling, lowering the existing A.C./Aluminium sheets/FRP corrugated sheet/Durashine powder coated sheet 0.47mm thick from roof/side cladding of the buildings without any damage either for repairing the existing steel roof trusses & purlins or replacing the damaged sheets, etc. and supplying re-fixing the same area with new 0.47mm thick powder coated sheet/ powder coated end curved sheet [TATA Durashine/ equivalent brand] with 8mm dia G.I. polymer coated bolts & nuts (Aargee Associates/ equivalent make), washer, bolt cap to suit the existing M.S. angle/channel, purlin, etc. complete as per standard specification and as directed by Engineer-incharge. (Rate including cost of all materials).
- 21. Dismantling, lowering the existing A.C./Aluminium sheets from roof/side cladding of the buildings without any damage either for repairing the existing steel roof trusses & purlins or replacing the damaged sheets, etc. and supplying, re-fixing the same area with new **Non asbestos cement corrugated (Ramco-Greencor/ Everest Hi-tech) colour (blue) sheet** roof sheet including necessary corner/bargeboard with 8mm dia G.I. polymer coated bolts & nuts (Aargee Associates/equivalent make) to suit the existing M.S. angle/channel, purlin, etc. complete as per standard specification and as directed by Engineer-in-charge. (Rate including cost of all materials).
- 22. Engagement of fitter for miscellaneous work complete as directed by the Engineer-in-charge. (Required materials will be issued by company on free of cost).

23. Engagement of labour (Mazdoor) for miscellaneous works complete as directed by the Engineer-incharge. (Required materials will be issued by company on free of cost).

# 2 <u>Safe Operating Procedure for repair and replacement of Roof sheets & structural works.</u>

- 1. All persons before being deployed for the work shall produce a medical fitness certificate through a competent Medical Officer and height pass will be issued by the safety Dept.
- 2. All contractual persons and their authorized supervisors shall undergo Vocational training as per MVTR 1966 before commencement of work.
- 3. Safety Work Permit should be obtained from the Safety Dept. by EIC before commencement of work. The permit shall clearly specify (A) Description of work, (B) Workman deployed and supervisor or EIC, (C) Identified hazards, (D) PPEs to be used, (E) Safety provisions to mitigate the hazards and (F) Hours of work, etc.
- 4. Before commencement of work in each shift, all persons engaged for the work shall be given a safety briefing by EIC or supervisor authorized for the purpose.
- 5. Safety belt and PPE's mentioned above to be worn by the persons engaged by the contractor before commencement of the work and will be ensured by EIC or his authorized supervisor.
- 6. Authorised supervisor deployed by the contractor shall be present at site full time to ensure compliance to the rules and safety procedures by the workers from the time of mobilization for work till the time last worker leaves the workplace.
- 7. Barricading shall be done below the working area before commencing any work at height and "Work in Progress" boards shall be displayed.
- 8. Scaffolds should be used by all workmen for climbing to the roof top and shall stand on the platform for carrying out the work. Preferably H-frame scaffolding shall be used.
- 9. All scaffolds and platform will be examined and approved by EIC before commencement of the work.
- 10. Ladders will not be used as work platforms or scaffolding.
- 11. A safety net of adequate strength should be secured through scaffolding platform at place where there is a danger of fall of person/fall of objects.
- 12. Crawling board or roof ladder should be used to walk across the roof sheet at roof top.
- 13. Double life line full body safety harness having ISI mark shall be used.
- 14. Safety belt shall be suitably anchored immediately after reaching the roof top.
- 15. One of the life lines of the safety belt should be anchored to the guide rope at any point of time.
- 16. Any visible damage to the safety belt should be immediately replaced.

#### 17. For the removal/replacement of roof sheets:

- a. Loose materials like nuts, bolts, hooks and tools shall be kept safely away from the edges of the roof. Care shall be taken to prevent fall of objects like old/new hooks, nuts and bolts.
- b. Dismantled sheets shall not be thrown down from top. The sheets shall be lowered to the ground by means of ropes of adequate strength and pulleys, and shall be stacked on ground properly before the workmen leave the site.
- c. The lifting of sheets shall be done by means of ropes and pulleys. No loose sheet shall be left on the roof top at the end of the shift.
- d. Work should not be carried out at the time of high wind, rain, lightning and bad weather.

#### 18. For the structural work to be carried out:

PPE's to be used : Safety shoe, Safety helmet, Safety belt, Safety net, Nose mask, hand gloves, welding goggles, welding gloves, welding aprons

- a. All welders and helpers must wear PPE's as mentioned above before commencement of the work and will be ensured by EIC or his authorized supervisor.
- b. Only authorised person shall perform the welding operations.

- c. Before starting the welding and cutting job at roof tops/work at height all safety procedures as mentioned above for working at height shall be followed.
- d. Intimation to be given to the technician/operator/area in charge of the concerned area regarding commencement of the work.
- e. Qualified electrician shall inspect the power sources for its worthiness before commencement of the work and to know how to shutdown the power in case of emergency.
- f. After verifying all energy sources welding and cutting or maintenance shall be performed.
- g. All welding equipment must be carefully inspected prior to use.
- h. All cables, electrode holders and clamps shall be inspected before starting of the work.
- i. During welding operation fire extinguisher shall be kept nearby.
- j. Welding person shall be trained in fire protection method also.
- k. The steel structures to be cut and removed from the roof top are to be tied at both ends with rope of adequate strength before cutting and to be lowered carefully.
- I. The structural steels to be lifted are to be tied at both ends with rope of adequate strength and shall be kept on the scaffolding platform to position it at proper place and to be joined.

#### 3. EVALUATION:

Evaluation will be done on OVERALL LOWEST VALUE (L1) basis based on the Price offered as per Price schedule.

#### 4. SPECIFIC INSTRUCTION:

- a) Bidders before submitting their tenders, are advised to inspect and examine site, its condition, the surroundings and satisfy themselves regarding the nature of the job (i.e. work details including all the technical data), ground, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information with regard to risks, contingencies and other circumstances which may influence or affect their tender including security and safety regulations in vogue, at work site/sites. Tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra claim consequent on any misunderstanding or otherwise shall be allowed.
- b) The contractor is deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for works and of the rates and prices quoted and cover all his obligations under the contract apart from all matters and things necessary for the proper completion of the work. The rate quoted shall be inclusive of all the cost of materials to be procured by the contractor and also labour, tools, plants, fuel, consumables, etc.
- c) The quantities if any given or indicated in the tender are those upon which the approximate estimated cost of work are based but they are subject to alterations, omissions, deduction and additions and not necessarily show the actual quantities of work to be done, which may vary. Wherever rates are quoted, the rate shall be firm for such variations as well.
- d) The bidder shall give the details of experience and qualification of the key resource person/s who shall supervise the work. It is advised that the work is executed under supervision of a person who is qualified and experienced in similar works.

#### 5. INSTRUCTION TO THE CONTRACTOR:

- a) Providing all necessary qualified, skilled and experienced personnel including supervisor for accomplishment of jobs within the allotted time period. Submission of list of pool of personnel who shall be deployed at site, establish their identities, competencies, licenses and obtain all security and safety clearance as required prior to their deployment. Documentary proof if any required must be submitted. Ensuring that only those personnel approved by company are engaged for the work.
- b) The contractor shall at their cost make his own arrangements for the stay of his personnel.
- c) The contractor shall arrange all safety appliances to his labourer and supervisor i.e. required PPEs like shoe, helmet, safety net/rope grab/ roof top walk ladder, safety belt, etc.
- d) Before starting the work the contractor should submit the following documents to Civil Section for his workmen & his authorized supervisor, otherwise the contractor will not allow to carry out the work.
  - i) Form A
  - ii) Medical Certificate (O-form)
  - iii) Vocational Training Certificate (VTC),
  - iv) Insurance (Workmen compensation & Medical)/ESI

- e) The contractor shall arrange all tools and tackles, consumables in order to carry the works specified in the schedule. Safe and storage of materials shall be the responsibility of the contractor.
   It shall be the responsibility of the contractor to ensure safe and proper custody of all the items dismantled and stored at worksite, during handling and transportation. IREL (India) Limited will not be responsible for any loss or damage.
- f) The contractor shall arrange all equipments like welding machine, welding electrodes, gas accessories, drilling machine with tools, etc. for site works. He shall also arrange tools like pipe wrenches, spanners, etc. and lifting equipments like derrick chain and pulley blocks, accessories for scaffolding lifting chains, ropes, etc. required for the complete work.
- g) Any material brought inside the plant/work site shall be with due acknowledgement and documentation with IREL (India) Limited officials.
- h) All the materials under the scope of contract should be routed through our Company stores.
- i) Return of unused material supplied by the contractor, tools, etc. shall be with due authorization from Engineer-in-charge.
- j) The contractor shall use tubular steel for scaffolding for all heights more than 3 metre height as approved by the Engineer-in-charge. All scaffolding shall be securely supported or suspended and wherever necessary be properly braced to ensure stability.

#### 6. OTHER SPECIFIC INSTRUCTION TO THE CONTRACTOR:

- a) All structural steel shall be tested quality and shall be free from rusts, scales, luminatious cracks and other surface defects.
- b) All bolts and nuts, plain and spring washers, etc. shall be conforming to standards. Unless shown or specified otherwise, all bolts and nuts shall be hexagonal. All nuts should fit tight. All the other materials used in association with steel works shall comply with the appropriate Indian Standards.
- c) For steel structural such as M.S angles, channels, beams & plates should confirm to IS:2062, Fe 410 Grade.
- d) All the steel materials required for fabrication shall be procured by the contractor. But, company will be issued the required materials on free of cost for un-quantifiable/ measureable works such as item No. 22-23.
- e) All the fabrication of structural steel work shall conform to the appropriate Indian Standards.
- f) All holes for the bolts shall be conforming to the standards. Holes shall be provided by drilling and reamed, if necessary. No holes shall be made by gas cutting process.
- g) The threaded portion of bolts shall project through the nut atleast by one thread.
- h) The welding and welded work shall conform to IS:816 and IS:823 unless otherwise specified. The permissible stresses for welding shall be taken as 66.23% of those specified in IS:816 where welds are not tested either by radiographic or ultrasonic method. The sequence of operation shall be so arranged to eliminate distortion and shrinkage stresses. The welding procedure shall be arranged by the contractor to suit the details of the joints.
- i) IREL (India) Limited will provide site for fabrication. However, for making "HARD STAND" required for fabrication, shall be under the scope of contractor.
- j) Painting shall provide a continuous adherent film on the surface thus treated and protect it from attack by atmospheric and environmental corrosions. Paint shall generally be applied by brushing. Each coat shall be continuous, free of pores and of even film thickness without thin spots. Each coat of paint shall be allowed to dry sufficiently before application of the next coat to avoid damages such as loss of adhesion.
- k) The consumption of the paint for two coat of epoxy coal tar paint is 0.34 ltr/m², and one coat Zinc-Chromate/Zinc-Phosphate primer is 0.12 ltr/m². Variation in use of paints from above requirement however shall be allowed to extent of plus or minus 5% (i.e. ± 5%). If the consumption of paints exceeds minus 5% (i.e. -5%), then penalty will be levied @ double the cost of less used total quantity. However, for excess usage no extra payment shall be made to the contractor.
- Proper curing should be carried out as per the standard specification and instruction of Engineer-in-charge.
- m) Supply of Cement as required for work is under contractor's scope and hence all the rates of items should be quoted inclusive of cement cost (Only DALMIA/ ACC/ RAMCO/ SANKAR/ L&T/BIRLA cement confirming to IS:269/IS:8112 (OPC) 33 & 43 grade/1489 (PPC) shall be used for the work). Only current batch of cement or at best two months old stock from the date of manufacturing shall be allowed to be used at site.
- n) For RCC/PCC works more than 5 (five) cubic meter/operation, the contractor in presence of Engineer-incharge should take cubes while casting of RCC/PCC work. The cubes in sets (3 nos. in each set) will be taken for testing (compressive strength of concrete). The testing is to be done in any Government Institute/ Lab. The cost of tests including transporting are to be borne by the contractor.
- o) To ensure correct usage of cement Tamilnadu PWD standard specification for cement consumption of different items of work will be followed. Variation in use of cement from such theoretical requirement however shall be allowed to extent of plus or minus 5% (ie. ±5%) for all other items of work other than RCC work if the consumption of cement exceeds minus 5% (-5%), then penalty will be levied @ double the cost of less used total quantity.

- p) For RCC work, if the consumption of cement used in the work is less than minus five percentage (-5%) of the theoretical requirement, the contractor has to ensure the quality of work at his risks & costs. IREL (India) Limited., Manavalakurichi reserves the right to take suitable action by stopping the payment of the item/items and subsequently ordered the agency to dismantle and re-cast as per specification and at his cost.
- q) However, for excess usage no extra payment shall be made to the contractor.
- r) All labour and supervision thereof, all materials, tools, implements and plant of every description, ladders, cordage, tackle, etc. as well as the provision of safe and substantial scaffolding required for the proper execution of the work in conformity with the specifications for the various items of work.
- s) Finally clearing away of all rubbish surplus materials, plant, etc, on completion of the work and dressing and leveling off and restoring the site to a tidy condition prior to handing over the work to the Engineer-in-Charge or his authorized assistant and also its maintenance until so taken over.
- t) Any materials brought to the site of work, or any work done by the Contractor but rejected by the Engineer-in-Charge as being not up to the specifications shall in the case of materials supplied be then and there removed from or broken up at the site of work, and in the case of work done be dismantled or rectified at the expense of the contractors as may be ordered by the Engineer-in-charge.
- Upto ±10% variation in the execution of work contracts/purchase order of the total works contracts value for the sanctioned contract is allowed without issue of amendment/revision in the work order.
   Beyond above variations amendment/revision with the approval of competent authority (as per delegation of powers) is necessary.
- v) No workmen below 18 years will be permitted to work. For all hazardous works experienced personnel shall only be engaged.
- w) The whole responsibility for supervision of the work and the workers employed by the contractor shall rest with the contractor. The contractor shall nominate one authorized Supervisor (site in Charge) at the work site all throughout the execution period. Such supervisor shall be authorized to act as Lead supervisor for the work and shall be authorized to act on behalf of the contractor, to accept notices under the contract and carryout the instructions of IREL (India) Limited from time to time.
- x) IREL (India) Limited may ask to change/delete the person not found suitable for the work at any point of time. For any addition and deletion of the working person, prior permission from IREL (India) Limited shall be taken.
- y) All labour and supervision thereof, all materials, equipments, tools, etc. as well as the provision of safe for the proper execution of the work in conformity with the specifications for the various items of work.
- Z) Contractor's all workmen and supervisor shall conduct himself in an orderly manner with the staff working in the Civil section. Contractor and the personnel they have engaged for the execution of the contract shall abide by all the Safety & security rules and regulations of IREL (India) Limited. Contractor shall give the list of persons who shall be deployed at site like Site in-charge, supervisors, foreman, mason, fitters, welders, workers, etc. with their address and age proof well in advance. All such persons shall be subject to security check by security officials of IREL (India) Limited. The contractor shall obtain necessary Entry passes from concerned officials of IREL (India) Limited Security Wing prior to their deployment. Contractor shall ensure that no unauthorized persons are entering the work site except authorized workmen and supervisor.
- aa) Contractor shall adhere to all security procedures, checks and practices of IREL (India) Limited with regards all personnel engaged, all equipment, consumables, tools and tackles brought inside and taken out from the work site/s.
- ab) The contractor and his person shall maintain absolute integrity in carrying out the work and in case of any act detrimental to the interest of the company [IREL (India) Limited], the contract shall be terminated.
- ac) Materials supplied for execution of work such as M.S. structural, various Paints and roof sheet items secured advance may be granted- "On certification of Engineer in-charge, an advance upto least of 75% of the procurement price of the material brought in by the contractor, supported by bill, will be released after receipt of materials at site".
- WORKING HOURS: Work hours shall be between 8.00 AM to 4.00 PM on all working days excluding Sundays and holidays. The contractor shall execute the work beyond the normal working hours (i.e. 8.00 am to 4.00 pm) and also during Sunday/holidays, after obtaining permission from the Engineer-in-charge in order to complete the work strictly as per the time schedule.

#### 8 PERIOD OF CONTRACT:

- a) The work shall be commenced within 15 (fifteen one) days from the date of issue of work order. Within this period (i.e. 15 days) contractor should complete all the statutory training i.e. Vocational Training (VT), etc. for their employees.
- b) The period of contract shall be **3 (three) months** from the date of commencement of work.

- c) The period of maintenance (i.e. performance guarantee period) is **1 (one) year** from the date of completion of work.
- d) The company reserves the right to terminate the contract without assigning any reason by giving two weeks" notice and no claim for any loss or damage or compensation for such termination of contract shall be payable by the company or maintainable against the company.

#### 9 PAYMENT TERMS:

- a) Part payment will be made to the Contractor based on the following conditions:
  - i) No payment will be released below Rs.1,00,000/-.
  - ii) Payment will be released on the basis of actual measurements of work done, such part payment will be limited to 95 % of the amount payable to the Contractor on certification of Engineer-in-charge. Payment will be released within 30 days of submission of the bill.
- b) The final bill, in all respect should be submitted by the contractor within 30 days from the date of completion of work.
- c) After completion of the work in all respects the contractor will submit the final bill except a sum equal to **10% (performance guarantee money)** of total value of work done.
- d) Defects if any, noticed during the maintenance period (performance guarantee period) shall be rectified by the contractor to the satisfaction of IREL (India) Limited within reasonable period of its notice & intimation.
- e) If, in the opinion of IREL (India) Limited, the contractor has not responded to the maintenance demand/ defect rectification notice or fails to respond within reasonable period of the notice or unable to rectify the defect in a manner acceptable to IREL (India) Limited, the retention deposit shall stand forfeited without any notice. Further IREL (India) Limited shall be at liberty to get defects rectified through other agencies at the risk and cost of the contractor.
- f) All payment are subject to deduction of tax at source as applicable.

#### **10 PERFORMANCE GUARANTEE:**

The contractor shall guarantee for quality of the material and workmanship for a period of one year from the date of completion of the work.

The Performance Guarantee money will be released to the contractor within four weeks at the expiry of the maintenance period (i.e. 1 year) on issue of No Objection Certificate by EIC, IREL (India) Limited, Manavalakurichi.

HAZARD IDENTIFICATION, RISK ASSESSMENT AND CONTROL

Sl No.	Work / Activity	Controls in place	Hazard	Control
1	Working at height	Work site	Working at platform/ scaffolding: electrical over head line; temporary ladder; slopped roof; falling of loose material from height.	<ol> <li>Use of PPE's i.e Shoe, helmet, safety belt, safety net, etc.</li> <li>Ensuring use PPEs.</li> <li>Ensuring anchoring of ladder.</li> <li>Ensure the strength of platform / scaffolding before working and joints of lifting tackles.</li> <li>Materials should be handled carefully.</li> <li>Medically fit persons should be allowed.</li> </ol>
2	Excavation work.	Work site	Work at underground: electrical cables, loose sand sliding, underground water sewage lines.	Work is carried out in presence of nominated electrician.     Ensuring use of PPEs.
3	RR masonry work.	Work site	Working at platform / scaffolding.	<ol> <li>Use of PPE's i.e. Shoe, helmet, etc.</li> <li>Ensure the strength of platform / scaffolding before working.</li> <li>Materials should be handled carefully.</li> </ol>
4	Dismantling of building/ structures.	Work site.	Working at building: fall of loose materials from height.	Ensuring use PPEs.

# **Techno- Commercial Terms for Tenderer's Response**

SI No	Techno - Commercial Terms	Response
1	Tenderer must carefully study the technical specifications and general terms and conditions before participation of tender. All terms and conditions of NIT and Corrigendum, if any, shall be applicable.	AGREE
2	Bidder agrees to submit Pre-Qualification Criteria	AGREE
3	Bidder agrees to provide validity of offer upto 120 days from date of opening of Techno-Commercial Bid.	AGREE with Remarks
4	Earnest Money Deposit(EMD)  Note: PSU, State Govt Undertakings are exempted from payment of EMD. MSME/SSI units are exempted from payment of EMD provided they submit valid MSME/ NSIC certificate along with techno-commercial bid and to ensure that certificate pertains to the class of item/works for which tender is floated.	Upload with remarks
5	Tender Document Charges(TDC) Note: Company/Unit registered with MSME/NSIC are exempted from payment of TDC provided they submit valid MSME/NSIC certificate along with techno-commercial bid and to ensure that certificate pertains to the class of item/works for which tender is floated. Govt Undertaking/PSUs are exempted from payment of TDC.	Upload with remarks
6	Bidder agrees to carry out the work as per the Special conditions of contract mentioned in Annexure IV	AGREE
7	Bidder agrees to upload GSTIN Details (Mention Exempt if you are a Non GSTIN Entity and provide Proof of the same)	AGREE
8	<b>Undertaking</b> : Signed Scanned copy of Undertaking should be uploaded	UPLOAD
9	Upload complete Postal address of the Bidder, Telephone/ Mobile/ Fax No. of Vendor & E-mail id	UPLOAD
10	Declaration of UAM number by MSE bidders is mandatory, failing which such bidders will not be able to enjoy the benefits as per Public Procurement Policy for MSE's order 2012	UPLOAD
11	MSME bidder agrees to register in TReDS	AGREE
12	All the charges must be in the price bid / schedule only. The charges mentioned other than in the price bid, anywhere else can not be considered.	AGREE
13.	Bidders agrees to register in GeM	AGREE
14.	Bidder should upload scanned copy of MSTC transaction fee receipt and bank details with cancelled check to get refund of the transaction fee excluding GST.	UPLOAD

#### ETHICS IN TENDERING & OTHER BUSINESS DEALINGS

Dear Sir,

IREL (India) Limited a Government of India undertaking under the administrative control of Department of Atomic Energy is doing its business as per the rules and regulation of the Public Sector Undertaking and other statutory agencies. The business is done in a ethical, rational & impartial manner with good corporate governance.

In our Endeavour to be more transparent in our dealings and to support our ideology all **Vendors**, **Customers and Business Partners** are requested not to provide any gift and/or inducement to any of our employees for securing/being granted favour in dealings with our Company. In assurance of your commitment to the aforesaid, it will be highly appreciated if you fill up, sign and abide by the attached undertaking.

Report of any gifts and/or inducements sought by any employee of the company should be immediately reported to any one of the following:

#### **Chairman & MD**

IREL (India) Limited Plot No. 1207, ECIL Building, Veer Savarkar Marg, Prabhadevi, Mumbai-400028.

Ph. 022-24225778

Email: cmd@irel.co.in;

#### **Chief Vigilance officer**

IREL (India) Limited, 1207, ECIL Building, Veer Savarkar Marg, Prabhadevi Mumbai – 400 028

Ph. +91 22 2422 0613, +91 22 24221068

Email: cvo@irel.co.in

Or

General Manager & Head, MK IREL (India) Limited, Manavalakurichi

We assure you that complaints if any made by you on the subject will be kept confidential and fair investigation will be conducted and appropriate action will be taken. Similarly, we expect your commitment to the undertaking and its violation will have consequences as per prevailing rule of the Company.

Thanking you,

For IREL (India) Limited.,

sd/-General Manager & Head, MK

# **UNDERTAKING**

Date:	
То,	
M/s. IREL (India) Lim MANAVALAKURICI	
I/We agree and underta	ake:
with securi	ride any gift and/or inducement to any employee of the Company in connection ng/being granted favour (s) in my/our dealings with the Company and its field y MK unit at Tamil Nadu.
in exchange	ately report any gift and/or inducement sought by any employee of the company of the Company and/or its field Units granting favour (s) to me/us in my/out the Company and/or its field Units.
Signature:	
Name:	
Title:	
Name of the Company	& Address (with Seal):

# PRICE SCHEDULEAnnexure VIII

Sl. No.	Description	Qty	UoM	Rate per unit in ₹ a	GST in %	Value in ₹ (a+(a*b/100))
1	Dismantling and removal of R.R. masonry/brick masonry/plain cement concrete work, etc. upto 5m height and dumping the debris within a lead of 500m etc. complete as per the direction of Engineer-in-charge.	16.00	Cum			
2	Dismantling and removal of RCC foundation/ column/ slab/beam, etc. in all heights upto 8m from floor level including all necessary scaffolding and dumping the debris within a lead of 500m, and returning the MS rod to store, etc., complete as per the direction of Engineer-in-charge.	3.00	Cum			
3	Earthwork excavation for foundation in all types of loose/hard soil and depositing the spoils with an initial lead of 20m and lift upto 2m including refilling etc., complete as per the direction of the Engineer-incharge.	53.00	Cum			
4	Supplying, providing and laying PCC 1:4:8 mix for foundation/ flooring work using 40mm and below grade hard blue granite jelly including all form works, mixing, laying, compaction, consolidation and curing, etc. complete as per standard specifications and as directed by the Engineer-in-charge.	8.50	Cum			
5	Supplying, providing and laying PCC 1:2:4 mix for foundation/ flooring work/kerb wall drainage wall using 20mm and below grade hard blue granite jelly including all form works, mixing, laying consolidation and curing, etc. complete as per standard specifications and as directed by the Engineer-in-charge.	35.00	Cum			

6	Supplying, providing and fixing twisted reinforcement IS 1786 HYSD bars Fe500D/ Fe550D (TMT bars - TATA/Agni/ JSW) including fabrication, cutting, bending, cold tying, with overlapping to the standard length wherever necessary and placing the reinforcement in position as per the direction of Engineer-in-charge including binding, provision of spacer bars, cover blocks and all other incidental charges, etc. complete for all RCC works as per standard specification and as per the direction of Engineer-in-charge.	320.00	Kg		
7	Supplying, providing and laying cement concrete 1:1.5:3 for RCC works using 20mm and below grade hard blue granite jelly with specified reinforcement and all mixing, laying, compaction, leveling, consolidation and curing, etc., including the cost of centering/shuttering work, complete as directed by Engineer-incharge.	4.00	Cum		
8	Earth filling for foundation/flooring work using departmental sand including all transportation of filling sand from HUP to site, levelling works, compaction, consolidation, etc. complete as per standard specifications and as directed by the Engineer-in-charge.	56.00	Cum		
9	Supplying and spreading 150mm consolidated thick gravel of approved quality above the refilled earth surface with watering, levelling works, compaction and consolidating, etc. complete as per the direction of Engineer-in-charge.	67.00	Cum		
10	Supplying, providing and laying brick masonry in CM 1:6 using well burnt country brick of minimum size 22.9x11.2x7cm for foundation/kerb wall/wall upto 4.5m height from ground level including all scaffolding, staging, curing, etc. complete complying with standard specifications and as directed by the Engineer-in-charge.	13.00	Cum		

			_	1	1	1
11	Supplying, providing & laying RR masonry foundation/wall/retaining wall in	25.00	Cum			
	cement mortar 1:6 for construction of wall					
	using hard blue granite stone, etc. complete					
	from 1m below ground level to 3m height					
	above ground level with neat finishing					
	including proper pointing & necessary					
	scaffolding work etc complete as per					
	standard specifications and as directed by					
	the Engineer-in-charge.					
12	Supplying, plastering with CM 1:4 mix	335.00	Sqm			
	15mm thick one coat floated hard &					
	trowelled smooth etc for floors & walls					
	upto 8m height with neat finishing and					
	necessary grouting, etc. complete					
	complying with standard specifications					
	and as directed by the Engineer-in-charge.					
13	Supplying, plastering with CM 1:2 mix	100.00	m			
	20mm thick one coat floated hard &					
	trowelled smooth etc for ornamental/					
	sculpture works upto 10m height with neat					
	finishing and necessary grouting including					
	scaffolding work etc. complete complying					
	with standard specifications and as					
	directed by the Engineer-in-charge.					
14	Supplying, providing, cutting and fixing of	60.00	m			
	'B' class GI (galvanised iron) pipe of size					
	1"x2" (horizontal member) by imbedding					
	in brick wall post. The 'B' class GI					
	horizontal members shall require to be					
	erected 3 rows at equal spacing with					
	required clambing including painting with					
	two coat with 1st quality enamel paint of					
	approved shade (Berger/Asian/Nippon)					
	over a coat of enamel zinc-chromate/zinc					
	phosphate primer (Berger/Asian/Nippon),					
	etc. complete as per the direction of					
	Engineer-in-charge.					
15	Supplying, providing, hoisting and fixing	225.00	Sqm			
	of roof trusses including purlin, rafter,		-			
	sleeves false rafter, base plate bracing and					
	lacing, etc. fabricated out of G.I tubular					
	square/ rectangular heavy (C-class) pipes					
	(purlin-1 1/4"; rafter - 1 1/2"; bracing -					
	1") (TATA/ Jindal) conforming to					
	relevant I.S. code and providing G.I.					
	resevant i.b. code and providing O.I.					1

	. 1 1 / . 1 /				I
	tubular square/circular post heavy (C-				
	class) (3"x3") (TATA/ JINDAL) and				
	proper welding with base plates and base				
	fixing with concrete including painting				
	with two coats of approved enamel paints				
	(Asian/Berger/Nippon) over a coat of zinc				
	chromate primer etc. complete. Over the				
	roof truss fixing with 0.47mm thick				
	powder coated sheet/ powder coated end				
	curved sheet [TATA - Durashine				
	/equivalent make] (blue / red) with proper				
	slopping, necessary ridges and drain				
	arrangements, around sidecladding and				
	fixing 8mm dia G.I. polymer coated bolts				
	& nuts (Aargee Associates/equivalent				
	make), washer and bolt cap, necessary				
	fittings etc., complete as per the direction				
	of Engineer-in-charge.	007.55			
16	Supply of paint and painting two coat	335.00	Sqm		
	with 1st quality emulsion paint of				
	approved shade (Asian/Berger/Nippon) for				
	internal & external surface of walls,				
	ceiling over a coat of cement primer				
	(Berger/ Asian/ Nippon) upto 5 mtr height				
	from ground level including thorough				
	scrapping, cleaning, removal of dirt and all				
	tools & tackles, scaffolding, etc. and				
	applying one coat putty touch-up works				
	for external wall wherever required, etc.				
	complete as directed by the Engineer-in-				
	charge.				
17	Dismantling and removing of damaged	6.00	MT		
	steel structural fully/partly such as				
	roof/side cladding, purlin, trusses,				
	bracings, columns & gates, etc. and re-				
	fixing the damaged members of				
	dismantled structures with dismantled				
	good steel members (necessary fabrication				
	to be done if required)/ new fabricated				
	steel structures (under item No.18) with				
	welded/bolted joints with the existing				
	structures, etc. upto 15m height from floor				
	level as directed by the Engineer-in-charge				
	(Rate excluding the cost of good re-usable				
	steel & new fabricated steel under item				
	No.18).				

18	Supply of steel and fabricating the portion/full of truss/ purlins/ bracing/ columns/gates, etc including cutting, welding, jointing to suit the dismantled portion for replacing the worn-out members of the existing trusses/ purlins/ bracings/ column/gates or full members, etc. complete as directed by Engineer-incharge. (Rate including cost of all materials) (Structural steel conforming to IS 2062:2011 of make TISCO/ SAIL/ RINL).	5.00	MT		
19	Supplying and painting two coats with epoxy smoke grey paint (Asian /Berger/Shalimar) over a coat of epoxy zinc-chromate/zinc-phosphate primer (Asian/Berger/Shalimar) including chipping, scrapping and cleaning the surface, etc. complete as directed by Engineer-in-charge.	300.00	Sqm		
20	Dismantling, lowering the existing A.C./ Aluminium sheets/FRP corrugated sheet/ Durashine powder coated sheet 0.47mm thick from roof/side cladding of the buildings without any damage either for repairing the existing steel roof trusses & purlins or replacing the damaged sheets, etc. and supplying re-fixing the same area with new 0.47mm thick powder coated sheet/ powder coated end curved sheet [TATA - Durashine/equivalent brand] with 8mm dia G.I. polymer coated bolts & nuts (Aargee Associates/ equivalent make), washer, bolt cap to suit the existing M.S. angle/channel, purlin, etc. complete as per standard specification and as directed by Engineer-in-charge.	300.00	Sqm		
21	(Rate including cost of all materials).  Dismantling, lowering the existing A.C./ Aluminium sheets from roof/side cladding of the buildings without any damage either for repairing the existing steel roof trusses & purlins or replacing the damaged sheets, etc. and supplying, re-fixing the same area with new Non asbestos cement corrugated (Ramco-Greencor/ Everest-Hi-tech) colour (blue) sheet roof sheet	500.00	Sqm		

	including necessary corner/bargeboard with 8mm dia G.I. polymer coated bolts & nuts (Aargee Associates/ equivalent make) to suit the existing M.S. angle/channel, purlin, etc. complete as per standard specification and as directed by Engineer-in-charge. (Rate including cost of all materials).				
22	Engagement of fitter for miscellaneous work complete as directed by the Engineer-in-charge. (Required materials will be issued by company on free of cost).	20.00	No.		
23	Engagement of labour (Mazdoor) for miscellaneous works complete as directed by the Engineer-in-charge. (Required materials will be issued by company on free of cost).	20.00	No.		

Note: a)Basic Rate per unit

b) GST in %

Formula: (a+(a\*b/100))

Special Note: Wherever % is mentioned value to be entered in % Only

# **IREL (India) Limited Bank Details**

Name of Bank	State Bank of India, Manavalakurichi
Account Type	Current Account
Account Number	57052533526
IFSC Code	SBIN0070333
MICR Code	629009009

Details of payment to be uploaded as attachment during tender submission and the same shall be e-mailed to: purchase-mk@irel.co.in

Email should contain the following details

- 1) Name of the Company.
- 2) Your E-mail ID and Contact Details including full postal Address.
- 3) EMD & TDC Amount.
- 4) Transaction ID with details of bank and branch.

# CONTRACTOR ENROLMENT/ REGISTRATION FORM

1. N	AME			:								
2. ADDRESS				:								
3. E-	MAIL/ N	10BILE		:								
4. W	ORK OR	DER DE	TAILS	:								
SI.	SI. Work Order No No. & Date		Wo	Work Order Validity		y N	Nature of Work			Dept.		EIC/ OIC
INO			Fro	m	То							Name
5. P.	5. P.F. CODE NO :											
6. IN	ISURAN	CE DETA	ILS	:								
ESI No. Name of		of	Policy No.			Valid Type o			f Poli	су	No. of	
		Insurar										persons
		Compa	ПУ									covered
7. LABOUR LICENSE DETAILS:												
						License Issuance Authority		Expiry of L		of L	imum No. abourers as License	

SIGNATURE OF CONTRACTOR

# PROFORMA FOR BANK GUARANTEE FOR EARNEST MONEY DEPOSIT

(To be issued by approved Scheduled Banks)

In accordance with Notice Inviting Tender (NIT) No Dreferred to as "the said Works") for Rs (Ruper IREL (India) Ltd., a company incorporated under Indian Compani building, Opp. to Siddhivinayak Temple, Veer Savarkar Marg, Pragas IREL), M/s Address Address to participate in the said tender and a Bank Guarantee for period of days (in words) is required to be submitted by	es only), under Manavalakurichi Unit of M/s les Act, having its registered office at Plot No.1207, ECIL bhadevi, Mumbai – 400028, India (herein after referred to [Herein after referred to as Contractor (s)] wish for the sum of Rs (in words) valid for a
We the	and/or to commence the contract works and/or failure to he terms and conditions relating to and/or governing the so agree that any such demand made on the Bank shall be under this Guarantee. We also agree that notwithstanding om the said contract and/or the acceptance of the tender of tenability of the claim of the IREL for forfeiting the Earnest
We Bank further agree that the guarantee here period that would be taken for entering into an Agreement of cont dues of the IREL under the terms and conditions of the NIT for discharged or till IREL certifies, that the terms and conditions of the tenderer and accordingly discharges the guarantee.	tract and that it shall continue to be enforceable till all the the work have been fully paid and its claims satisfied or
Bank further agree with the IREL consent and without affecting in any manner our obligations here and/or terms and conditions governing the contract or to extend the time to time or to postpone for any time or from time to time any tenderer and to forbear or enforce any of the terms and conditions thereunder by reason of any such variation, or extension being gromission on the part of the IREL or any indulgence by the IRI whatsoever which under the law relating to surety/guarantee would	eunder to vary any of the terms and conditions of the NIT he time of validity of the offer from the said tenderer from y of the powers exercisable by the IREL against the said s of the NIT and we shall not be relieved from our liability ranted to the said tenderer or for any forbearance, act or EL to the said tenderer or by any such matter or thing
WeBank do hereby further agree that Bank will not affect the validity of this guarantee.	t any change in the Constitution of the said tenderer or the
We Bank lastly undertake not to resprevious consent of the IREL in writing.  Date	voke this guarantee during its currency except with the ed the day of 20
	(Signature with name in Block letters with designation, Attorney as per power of Attorney Nodt)
	Bank's Common seal

PROFORMA FOR BANK GUARANTEE FOR SECURITY DEPOSIT
WHEREAS on or about the day of M/s (Tenderer's name & address), having its registered office situated at (Postal address) (herein after referred to as 'The Tenderer') entered into a contract bearing reference no dtd with (MK unit/Chavara unit/OSCOM unit/ RED unit/Corporate Office) of M/s IREL (India) Ltd., a company incorporated
address), having its registered office situated at(Postal address) (herein after referred to as 'The
Tenderer') entered into a contract bearing reference no dtd with
(MK unit/Chavara unit/OSCOM unit/ RED unit/Corporate Office) of M/s IREL (India) Ltd., a company incorporated
under Indian Companies Act having its registered office at Plot No.1207, ECIL building, Opp. to Siddhivinayak
Temple, Veer Savarkar Marg, Prabhadevi, Mumbai - 400 028, India (herein after referred to as Company), for
(details of order) (herein after referred to as 'The Contract').
AND WHEREAS under the terms and conditions of the contract the tenderer is required to keep with Company a security deposit of Rs (Rupees only) or submit a Bank Guarantee in lieu of cash deposit for the fulfillment of the terms and conditions of the contract, and whereas the supplier has chosen to submit a Bank Guarantee.
We Bank do hereby undertake to pay the amounts due and payable under this Guarantee without any demur, merely on a demand from IREL (India) Limited stating that the amount claimed is due by way of loss or damage caused to or that would be caused to or suffered by Company by reason of breach of any of the terms and conditions of the said contract. Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. The payment will be released within three working days from the date of demand for payment.
We undertake to pay to Company any money so demanded notwithstanding any dispute or disputes raised by the tenderer in any suit or proceeding pending before any court or tribunal relating thereto, our liability under these present being absolute and unequivocal.
The payment so made by us under this guarantees shall be valid discharge of our liability for payment thereunder and the tenderer shall have no claim against us for making such payment.
We Bank further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of Company under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till Company certifies that the terms and conditions of the said Agreement have been fully and properly carried out by the said tenderer and accordingly discharges this Guarantee. Our Guarantee shall remain in force until and unless a demand or claim under this guarantee is made on us in writing within three months from the expiry of the Guarantee period, we shall be discharged from all liability under this Guarantee thereafter.
We Bank, further agree that Company shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extent time of performance by the said tenderer from time to time or to postpone for any time or from time to time any of the powers exercisable by Company against the said tenderer and to forbear or enforce any of the terms and conditions relating to the said Agreement and we shall not be relived from our liability by reason of any such variation, or extension being granted to the said contract or for any forbearance, act or omission on the part of Company or any indulgence by Company to the said tenderer or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision, have effect of so relieving us.
This guarantee will not be discharged due to the change in the constitution of the Bank or the Consultant.
We Bank lastly undertakes not to revoke this guarantee during its currency except with the previous consent of IREL (India) Limited in writing.  Dated the day of 20  Bank
(Signature with name in Block letters with designation, Attorney as per power of Attorney Nodt)
Bank's Common seal